A6 air quality rules

AQr 1 Activities and Rules

AQr 1.1 Rules are used extensively in this Plan as a method to implement policies. Rules prohibit, regulate, or allow activities. Rules determine whether a resource consent is required for a particular activity. In this Plan, activities that are prohibited, regulated, or allowed by the rules fall into five classes that reflect the actual or potential effect of the activity on the environment. The five classes of activity are: permitted activities, controlled activities, discretionary activities (including restricted discretionary activities), noncomplying activities, and prohibited activities.

AQr 1.2 These classes of activity are described below, together with their component parts, which include standards, terms, or conditions, matters of control or matters over which discretion is restricted, and assessment criteria.

AQr 2 Activity Classes

AQr 2.1 Permitted Activity

- AQr 2.1.i A permitted activity is one that is allowed without a resource consent if it complies with the conditions specified in the "permitted" column of the Rule Table and the conditions in Rule AQr.22 (General Conditions). In the case of non-trade and industrial processes or premises under s15(2), permitted activities also include all discharges to air under that are not specifically mentioned in the rules.
- AQr 2.1.ii The fact that a resource consent is not required does not always mean the activity may be undertaken as of right. A permit or consent may be required under other laws, apart from this Plan and the Resource Management Act (see Section 23 of the Act).

AQr 2.2 Controlled Activity

- AQr 2.2.i A controlled activity is allowed only if a resource consent has been obtained. The activity must comply with any standards and terms specified in the rules. If the activity does not comply with the standards and terms, it will not be dealt with as a controlled activity, but as a discretionary activity, a restricted discretionary activity or a non-complying activity.
- AQr 2.2.ii The Council must grant a resource consent for a controlled activity on almost all applications. A consent cannot be granted in a few cases where the consent would transgress a requirement of the Resource Management Act. In granting consent, the Council may

impose standards, terms, or conditions relating to matters stated in the Plan over which control is reserved.

AQr 2.3 Discretionary Activity and Restricted Discretionary Activity

AQr 2.3.i A discretionary activity is allowed only if a resource consent has been obtained. The activity must comply with any standards and terms which have been specified in the rules. If the activity does not comply with the standards and terms, it will not be dealt with as a discretionary activity, but as a non-complying activity. In many cases, no standards and terms are specified. In these cases, the activity is deemed to be a discretionary activity.

AQr 2.3.ii The Council may decide to refuse an application for a resource consent, or grant it with or without standards, terms, or conditions. Those standards, terms, or conditions may relate to any relevant matters in the circumstances. In some cases, the Plan restricts the Council's discretion to the consideration of particular matters (a restricted discretionary activity). In these cases, resource consents may be refused, or standards, terms, or conditions imposed, only in respect of the matters to which discretion has been restricted.

AQr 2.4 Non-complying Activity

AQr 2.4.i A non-complying activity is allowed only if a resource consent has been obtained. The Council may decide to refuse an application for a resource consent, or grant it with or without standards, terms, or conditions. A resource consent cannot be granted for a non-complying activity unless either: the adverse effects will be minor, or it will not be contrary to the objectives and policies of the Plan (see section 104D of the Act).

AQr 2.4.ii Many non-complying activities are not the subject of special rules but arise automatically when the standards and terms stated in a rule are not complied with. Non-complying activities may contravene a rule but are not prohibited.

AQr 2.5 Prohibited Activities

AQr 2.5.i No resource consent can be granted and no application can be accepted for an activity that the Plan describes as a prohibited activity. The only avenue open to a person wanting to carry out a prohibited activity is to request a plan change.

AQr 2.6 Matters of Control and Restricted discretion

AQr 2.6.i In the Rule Table every controlled activity, and every discretionary activity where discretion is restricted, contains a list of matters over which control is reserved, or discretion is restricted. The matters listed below are additional matters applicable to every controlled activity and restricted discretionary activity.

AQr 2.6.ii Matters over which control is reserved or discretion restricted:

- a) Bonds or covenants or both, to ensure performance or compliance with any standards, terms, or conditions imposed.
- b) Administrative charges to be paid to the Council in respect of processing applications, administration, monitoring and

- supervision of resource consents, and for the carrying out of the Council's functions under section 35 of the Act.
- c) The duration of a resource consent, under section 123 of the Act.
- d) Lapsing of a resource consent, under section 125 of the Act.
- e) Change and cancellation of a consent, under sections 126 and 127 of the Act.
- f) Notice that some or all standards, terms, or conditions may be reviewed at some time in the future, under section 128 of the Act.

AQr 2.7 Assessment Criteria

AQr 2.7.i

Assessment criteria are to be used in the consideration of whether or not to grant resource consents and the imposition of standards, terms, or conditions. The list of assessment criteria is not exhaustive. The Council must take into account all of the matters mentioned in section 104 of the Act. Assessment criteria are "other provisions" within section 104(1)(d) and have no priority over the other matters mentioned in the section, which include the effects on the environment, objectives, and policies. Assessment criteria are provided as a guide to applicants and decision makers as to what practical matters will generally be considered. They do not restrict the Council's discretion.

AQr 3 Presentation of Rules

AQr 3.1 Rule Table

AQr 3.1.i

The Rule Table that follows, including the appendices to the Rule Table, contains the rules that apply to discharges of contaminants to air. The plan rules must be read as a whole and for any particular activity all rules have to be considered, including these narrative rules that precede the Rule Table. Certain words and terms are defined in Chapter A2 'Meaning of Words'.

AQr 3.2 Cascade of Rules

AQr 3.2.i

Each row of the Rule Table presents rules that regulate or allow one activity, or type of activity, or effect. For any given rule read along the row from left to right to determine whether a proposed activity is permitted, controlled, discretionary or non-complying. This progression across the Rule Table is called a "cascade".

AQr 3.2.ii

If an activity satisfies the standards, terms, or conditions stated in the permitted activity column, then it is permitted. If not, look to the next column (controlled). If it satisfies the standards and terms in the controlled column, it is a controlled activity. If not, then look at the next column (discretionary) to see if it fits the standards, terms or conditions stated there. If the activity satisfies the standards and terms in the discretionary column it is discretionary (or restricted discretionary as specified). An activity can be non-complying if it is identified specifically as such or it may be non-complying if it does not meet the standards and terms required of a discretionary activity. In some cases the rule table may indicate that an activity or part of it is prohibited.

AQr 3.2.iii The discretionary column may state no standards, terms, or conditions in which case the cascade ends there: all activities that are not permitted or controlled are discretionary, and no non-complying activities arise in that row.


AQr 3.2.iv The fact that an activity meets the standards for a controlled or discretionary activity does not necessarily mean that a resource consent will be granted: it simply means that an application for a resource consent must be lodged and that the application will be considered as a controlled or discretionary activity as the case may be. Controlled activities have to be granted, except in limited circumstances set out in the Act.

AQr 3.2.v The assessment criteria column indicates some of the effects that are likely to be considered relevant to the decision to grant or refuse consent and, if granted, what standards, terms, or conditions to impose, if any. Assessment criteria do not limit the Council's discretion, and any additional matters that might arise in a particular case may be considered.

AQr 3.2.vi Rule Tables are arranged across two facing pages, reduced in the following illustration to fit a single page width:

	Rule table						
Item	Permitted	Controlled	Discretionary/Non- complying/prohibited	Assessment Criteria	Explanation		
This column indicates the activity or effect dealt with in this row of the table.	This column states the standards, terms, or conditions that must be satisfied for the activity to be permitted.	This column states standards and terms that must be satisfied for the activity to be a controlled activity and the matters over which control is reserved.	This column states standards and terms that must be satisfied for the activity to be a discretionary activity, and whether discretion is restricted. It may also indicate non-complying activities.	To guide applicants, submitters and the Council as to the matters which will generally be considered. Not exhaustive.	Principal reasons for rules and explanation of the purposes of the rule to assist readers. This column also includes cross references to other plan provisions and legislation.		

AQr 3.2.vii The following flow chart illustrates the "cascade."



AQr 3.2.viii This flow chart represents the situation where the rule provides for permitted, controlled, and discretionary activities. This is not always the case. Some rules in the Rule Tables have "not applicable" in one or more of the permitted, controlled or discretionary columns. This means that there is no activity of the class dealt with in that column. If the permitted column contains only the words, "not a permitted activity," then there are no permitted activities under that rule and moving from left to right across the row, the first category to be considered is for controlled activities.

AQr 3.2.ix The following **fictitious rule** is presented to provide an example of how the Rule Table works.

		Rule tabl	e (fictitious examp	le only)	
Item	Permitted	Controlled	Discretionary/non- complying/prohibited	Assessment Criteria	Explanation
AQr.7 Production of bricks from elephant dung	The discharge of any contaminant to air from the production of bricks made from elephant dung is permitted if: a) the total mass of dried material does not exceed 100 kg per hour, and b) at any one time the total amount of material stored on site does not exceed 1000kg, and c) the discharge stack is 20 metres above the highest point of the building containing the brick making operation.	Not applicable.	Any discharge that contravenes a permitted condition is a discretionary activity.	 a) New options, processes or techniques available to minimise any discharges or its effects including odour and dust emissions. b) The extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated. c) The total amount of the discharge and the time period over which the discharge occurs. d) The topography and the meteorology of the area including wind speed and wind direction. e) The proximity and nature of nearby activities, and the likely future uses given the zoning of the land. f) The proximity and nature of any sensitive receptors. 	Elephant dung has the potential to create adverse odour effects if the scale of the material stored onsite is not strictly controlled. Any discharge needs to be well dispersed to ensure that the effects at ground level are minimised.

AQr 3.2.x

To illustrate the way this **imaginary rule** would work in practice, assume a business person wants to set up a factory that produces bricks made from elephant dung with an estimated output of 100kg per hour, but storage on site will be 2 tonnes (2000kg). The discharge will be dispersed through a stack 20 metres high. To determine if status of the activity in terms of this Air Quality Plan is permitted, controlled, discretionary or non-complying, the table should be read from left to right.

AQr 3.2.xi

The left hand column indicates the general subject matter of the row. Moving along this row, we see that the "permitted" column has three standards (a), (b) and (c). The proposal, due to its size, breaches standard (b) but complies with standards (a) and (c). We therefore conclude that it is not a permitted activity and we move on to consider the controlled column. The controlled column is not applicable in this example so we move on to the discretionary column.

AQr 3.2.xii

In the discretionary column, we note that contravening one of the permitted standards triggers the need for a resource consent. In this case the on-site storage breached condition (b), even though the activity still complies with standards (a) and (c). The effects of the proposed brick production works, including odour control and proximity to sensitive areas, would be taken into account by the Council when it considers whether or not to grant a resource consent, and if so, what conditions to impose.

AQr 3.2.xiii

This **imaginary rule** only applies to discharges to air. In this example, the proposal may be subject to land use rules under the Nelson Resource Management Plan. Even if an air discharge resource consent is granted, other resource consents may still be required which may or may not be approved. All resource consents for a proposed activity must be approved before the activity can commence.

contents: air quality rule table

COLLE	ents. air quanty rule table
Prohibited Acti	ivities
AQr.20	Prohibited fuels and materials - outdoor burning and small-scale fuel burning appliances
AQr.21	Installation of open fires and solid fuel appliances in new buildings, or in buildings not currently using solid fuel
	tions applying to all discharges
AQr.22	General conditions - all discharges
	el burning appliances
AQr.23 AQr.24	Gas, oil, and other liquid fuels Urban Area - use of appliances or fires installed prior to plan notification
AQ1.24 AQr.25	Urban Area - installation of appliances after plan notification
	Special transitional provisions applying to areas added to the Urban Area after 23 August 2003
AQr.26	Pellet burning appliances (Urban Area) new buildings, or Existing buildings not using solid fuel
AQr.27	Outside Urban Area - new and existing appliances and fires
AQr.27A	Urban Area - commercial cooking or smoking
Large-scale fue	el burning appliances
AQr.28	Large-scale fuel burning appliance - LPG
AQr.29	Large-scale fuel burning appliance - kerosene or diesel
AQr.30	Large-scale fuel burning appliance - light or heavy fuel oil
AQr.30A	Large-scale fuel burning appliance - wood pellets
AQr.31	Large-scale fuel burning appliance - coal or wood
AQr.31A	Large-scale fuel burning appliance - other solid and liquid fuels
AQr.32	Stationary internal combustion engine
Specified prem	
AQr.33 AQr.34	Bulk material handling and storage
AQr.34 AQr.35	Bulk petroleum storage Ceramics
AQr.36	Chemical fume cupboards
AQr.37	Composting
AQr.38	Dry cleaning
AQr.39	Dust from surfaces
AQr.40	Food cooking and smoking, and processing of oils
AQr.41	Fumigation
AQr.42	Heat and water vapour from cooling towers
AQr.43	Metal work processes and metal degreasing
AQr.44	Petroleum retailing
AQr.44A	Emergency venting of gas cylinders
AQr.45	Printing and publishing
AQr.46	Processing of animal skins Production of concrete and concrete products
AQr.47 AQr.48	Production of concrete and concrete products Production of fibre-glass and other composite material products
AQ1.48 AQr.49	Production of plastic components and plastic moulding
AQr.50	Seed cleaning
AQr.51	Spray coating (including paint)
AQr.52	Wood processing - dust and particles
AQr.52A	Wood processing - other discharges
AQr.53	All other industrial or trade premises or processes
AQr.53A	Water and abrasive blasting
	ng urban and rural
AQr.54	Outdoor burning - Urban Area & Higher Density Small Holdings Area (Rural Zone)
AQr.55	Outdoor burning - Rural
Agrichemicals	
AQr.56 Other	Agrichemicals
AQr.57	Intensive livestock commercial farming
AQr.58	Fire training activities
AQr.59	Fertiliser
Appendices	
AQ1	Information to be provided with resource consent applications
AQ2	Emissions requirements - small-scale solid fuel burning appliances
AQ2A	Emissions requirements - small-scale pellet burning appliances
AQ3	Stack requirements - small-scale solid fuel burning appliances
AQ4	Stack requirements - small-scale fuel burning appliances - Gas, oil and other liquid fuels
AQ5	Stack requirements - large-scale fuel burning appliances
AQ6	Stack requirements - stationary internal combustion appliance
AQ7	Discharge of agrichemicals to land or air
AQ8	Guide to outdoor burning Criteria for passesing offensive or chiestianable dispersal or deposition of smake particles
AQ9	Criteria for assessing offensive or objectionable dispersal or deposition of smoke particles
AQ10 AQ11	Criteria for assessing offensive or objectionable odour
AQ11 AQ12	Criteria for assessing offensive or objectionable dust Extent of Urban Area at notification (23 August 2003)
אעוב	Existit of orbait mod at notification (20 magast 2000)

Item	Rule		
Prohibited Activities			
AQr.20 Prohibited Activities	The following discharges of contaminants to air are prohibited activities for which no resource consent shall be granted:		
	a) The combustion in any small-scale fuel burning appliance of any of the materials in the following list i) to xii), and		
Prohibited fuels & materials – outdoor burning and small-scale	b) The combustion by deliberate outdoor burning (excluding fire training activities authorised under rule AQr.58) of any of the materials in the following list ii) to xii):		
fuel burning appliances	i) wood having a moisture content of more than 25% dry weight, or		
	ii) wood which is painted, stained, oiled or coated (except if allowed by resource consent under rule AQr.55), or		
	iii) wood treated with preservatives or impregnated with chemicals, including but not limited to, wood treated with Copper-Chrome-Arsenic (CCA), or		
	 iv) composite wood boards containing formaldehyde or similar adhesives, including but not limited to, chip board, fibreboard, particle board and laminated boards, or 		
	v) metals and materials containing metals, including but not limited to cables, or		
	vi) materials containing asbestos (except for the processing of vehicle brake shoes subject to a resource consent under Rule AQr.53 (All other industrial or trade premises)), or		
	vii) material containing tar or bitumen, or		
	viii) all rubber, including but not limited to, rubber tyres, or		
	ix) synthetic material, including, but not limited to, motor vehicle parts, foams, fibreglass, batteries, chemicals, paint and other surface-coating materials, or any type of plastic (except if allowed by a resource consent under Rule AQr.55 (Outdoor burning – Rural)), or		
	x) waste oil (except if allowed by resource consent under rule AQr.23), or		
	xi) peat, or		
	xii) sludge from industrial processes.		

Assessment Criteria	Explanation
AQr.20.4	AQr.20.5
Not applicable.	These prohibited activities cover the fuels or materials which are considered unacceptable to burn in small-scale solid fuel appliances or by deliberate outdoor burning.
	Domestic solid fuel appliances are not designed to burn materials other than wood or coal, and the combustion of other materials may result in the discharge of unacceptable levels of smoke and hazardous air pollutants. Consequently all the materials listed except dry wood and coal are prohibited from use.
	Outdoor burning is an uncontrolled combustion process, and while it is a practical method of disposing of dry vegetation or timber in some circumstances, is not a suitable method of disposing of most other materials (refer to Rule AQr.55 regarding outdoor burning in the Rural Zone).
	Outdoor burning of tyres, bitumen, coated wire and oil is also prohibited by the National Standards for Air Quality, with some limited exemptions for burning of oil (refer to the Resource Management (National Environmental Standards Relating to Certain Air Pollutants, Dioxins, and Other Toxics) Regulations 2004).
	Refer to Rule AQr.31A for restrictions on burning such materials in large scale burning appliances.
	Note: refer to rule AQr.54 (Outdoor burning – urban area & higher density small holdings area) which restricts outdoor burning in the urban area (defined in Chapter A2) of any material in all but a few cases.

Item	Rule
AQr.21	AQr.21
Prohibited Activities Installation of open fires and solid fuel appliances in new buildings or in buildings not currently using solid fuel	 a) Unless otherwise specified in the Rule Table, the discharge of contaminants to air from any small-scale solid fuel burning appliance within the Urban Area (excluding Glenduan ('The Glen')), or any open fire within the Urban Area, as follows are prohibited activities for which no resource consent shall be granted: i) in any new residential unit or other new building erected after the date of notification of this plan, including within any subsequent extension or alteration to that unit or building, or ii) from any small-scale solid fuel burning appliance installed in any residential unit or other building that at the date of notification of this Plan did not contain a lawfully approved, operable small-scale solid fuel burning appliance or open fire, including within any subsequent alteration or extension to the unit or building, or iii) from any open fire installed in any residential unit or other building after the date of notification of this Plan, plus the rebuilding of any open fire that previously has been modified to be inoperable, unless before the date of notification of this Plan, a building consent application in accordance with the Building Act 1991 was lodged specifying the installation of a small-scale solid fuel burning appliance or open fire, and that consent was subsequently issued (whether the issue occurred before or after the date of notification of this Plan). b) This prohibition does not apply to the installation of: i) any small-scale solid fuel burning appliance or any stove classified as an open fire in an industrial or trade premises where the fire is used exclusively for the cooking or smoking of food for wholesale or retail sale, or ii) any small-scale pellet burning appliance authorised under rule AQr.26.
O	
General Conditions AQr.22	AQr.22
General Conditions	The following general conditions apply to all discharges of contaminants to air, including those allowed as permitted activities in the Rule Table, excluding those allowed by a resource consent unless the consent states otherwise: ¹
All discharges	 a) The discharge must not result in any offensive or objectionable odour to the extent that it causes an adverse effect beyond the boundary of the site of the discharge, and b) The discharge must not result in dispersal or deposition of particles, including smoke particles or dust, to the extent that it causes an offensive or objectionable effect beyond
	the boundary of the site of the discharge, and c) The discharge must not significantly impair visibility beyond the boundary of the site of the discharge, and d) The discharge must not cause any corrosion to any structure beyond the boundary of the site of the discharge, and
	e) The discharge must not result in effects beyond the boundary of the site that are noxious or dangerous.

¹ In terms of enforcement and compliance with Rule AQ22, Council staff will be guided as appropriate by Appendices AQ9, 10 and 11 in this Plan.

Assessment Criteria	Explanation
	AQr.21.5
	Within the Urban Area (defined in Chapter A2) this rule prohibits the use of solid fuel fires (open fires, wood burners and multi-fuel burners) in houses and buildings built after the notification of the Air Quality Plan. An exclusion is made for enclosed solid fuel burners (but not open fires) at The Glen as the small population with a seaside location and better air circulation means holding down burner numbers is less critical. The prohibition also applies to enclosed burners in houses and buildings that at the date of notification of the Plan did not already have a solid fuel fire installed, or an application lodged for a Building Consent for such a fire, and to new open fires or the recommissioning of inoperable open fires.
	An exemption is also granted for industrial and trade premises to allow them to install (by resource consent) wood stoves for cooking, for such things as wood-fired pizzas or barbecue grills.
	Computer modelling has shown that in order to meet the Government guidelines for PM ₁₀ , the numbers of fires burning solid fuel in Nelson must not increase above current levels. A 70% reduction in wintertime peak PM ₁₀ levels is required to achieve the air quality target and this necessitates strong measures to control emissions from fires.
	However Policy A5-1.5 (Solid fuel fire numbers) notes the improving design of solid fuel burners, especially pellet fires, may mean that this rule may be reconsidered at an appropriate time in the future. This would be done by means of a plan change.
	AQr.22.5
	These are general conditions that apply in all instances, unless otherwise stated.
	Any breach of the conditions will not result in requirements for resource consents but rather will be enforced via the Council's monitoring and enforcement mechanisms. In doing so the matters in Appendices AQ9 to 11 will be had regard to.
	The matters that the General Conditions cover are all significant air quality issues, particularly in relation to odour, dust and particles, including smoke.

	Small-scale fuel burning appliances			
Small-scale fuel burning appliances Gas, oil, and other liquid fuels The discharge of any contaminant into air from the burning of liquid petroleum gas (LPG), ethane, methane, diesel, blended heating oil, kerosene, and alcohols, in any small-scale fuel burning appliance is permitted if: a) the discharge of any contaminant into air from the burning of liquid petroleum gas (LPG), ethane, methane, diesel, blended clause a) or b) is a discretionary activity. Contravention of permitted clause c) is a prohibited activity, except the burning of waste oil in a small-scale fuel burning appliance in an industrial or trade premises, which is a non-complying			Controlled	Discretionary/Non-complying/ Prohibited
burning appliances from the burning of liquid petroleum gas (LPG), ethane, methane, diesel, blended heating oil, kerosene, and alcohols, in any small-scale fuel burning appliance is permitted if: a) the discharge is via a stack that complies with Appendix AQ4, and b) no re-refined oil is burnt, and c) no fuels in Rule AQr.20 (Prohibited from the burning as (LPG), ethane, methane, diesel, blended clause a) or b) is a discretionary activity. Contravenes permitted clause a) or b) is a discretionary activity. Contravenes permitted clause a) or b) is a discretionary activity. Contravention of permitted clause c) is a prohibited activity, except the burning of waste oil in a small-scale fuel burning appliance in an industrial or trade premises, which is a non-complying	AQr.23	AQr.23.1	AQr.23.2	AQr.23.3
	Small-scale fuel burning appliances Gas, oil, and other	The discharge of any contaminant into air from the burning of liquid petroleum gas (LPG), ethane, methane, diesel, blended heating oil, kerosene, and alcohols, in any small-scale fuel burning appliance is permitted if: a) the discharge is via a stack that complies with Appendix AQ4, and b) no re-refined oil is burnt, and c) no fuels in Rule AQr.20 (Prohibited		AQr.23.3 Any discharge which contravenes permitted clause a) or b) is a discretionary activity. Contravention of permitted clause c) is a prohibited activity, except the burning of waste oil in a small-scale fuel burning appliance in an industrial or trade premises, which is a non-complying

Ass	sessment Criteria	Explanation
	r.23.4	AQr.23.5
Sta a) b)	the factors that constrain compliance with the stack standards, such as proximity of buildings or land. the safety and effectiveness of alternative stack heights	This rule covers smaller devices burning gas, oil or other liquid fuels. The use of such devices is permitted subject to compliance with the specified standards and conditions. Mobile domestic-sized gas and liquid-fuelled heaters are exempt from
c)	or discharge points. the impact of the discharge on local and ambient air	the rule, as are gas hobs and ranges (see the definition of 'Small-scale fuel burning appliances' in Chapter A2).
D -	quality.	The burning of waste oil is a non-complying activity in small-
	refined or waste oil burning the quality and chemical composition of the re-refined or	scale fuel burning appliances, but only in industrial or trade
d)	waste oil.	premises. Waste oil has been used as a fuel for space heating in a number of workplaces. Emissions from such burners can
e)	the method of combustion, including, but not limited to, the age and condition of the burner.	include metals and hazardous organic compounds, and will vary depending on the original use of the oil and the performance of
f)	the ambient and acute levels of any hazardous air pollutants or air toxics that may be discharged.	the burner. It is anticipated that only burners designed for the specific purpose of burning waste oil that can achieve consistent and acceptable emission levels will be issued resource consent.
g)	the ambient levels of PM_{10} , and other contaminants where relevant, and the predicted effect that the activity will have on these levels.	It is not considered that the use of waste oil should be extended to domestic dwellings. Larger commercial or industrial sized devices are dealt with
h)	the predicted results of the likely ground level concentration of contaminants from atmospheric dispersion modelling.	under Rules AQr.28 to AQr.31A. Note: Compliance with Rule AQr.22 General Conditions is
i)	the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated.	also required which relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by
j)	the proximity and nature of nearby activities, and the likely future uses given the zoning of the land.	Appendices AQ9, 10 and 11.
k)	the proximity and nature of any sensitive receptors.	
l)	the likely degree of contaminants discharged to the air if alternative fuel was used and the potential effects on the environment.	
m)	new options, processes or techniques available to minimise any discharges or their effects.	
n)	the total amount of the discharge and the time period over which the discharge occurs.	
o)	the topography, including whether the discharge will be located at the head or bottom of valleys and airsheds and the meteorology of the area including wind speed and wind direction.	
p)	the disposal of any residue from the burning process.	

Item	Permitted	Controlled	Discretionary/Non-complying/ Prohibited
AQr.24	AQr.24.1	AQr.24.2	AQr.24.3
Small-scale solid fuel burning	Within the Urban Area, the discharge of any contaminant into air from the burning of solid fuel in any open fire or small-scale solid fuel	Not applicable	Any discharge that contravenes a permitted clause is a prohibited activity, except contravention of:
appliances & open fires	burning appliance is permitted if: a) the fire or appliance was lawfully approved		a) permitted clause e) which is an enforcement condition, and
(Urban Area) Use of appliances or fires installed or approved prior to Plan	 prior to the date of notification of this Plan, and any installation occurs within 6 months of the issue of the building consent, or in the case of an installation in a new building work prior to the issue of the Code Compliance Certificate for the work, and c) no discharge to air occurs from any open 		b) permitted clause a), where if evidence is provided that the burner or fire was installed prior to the date of notification of this Plan, it is a restricted discretionary activity . Discretion is restricted to approval of whether the fire or burner existed in the building and was in use prior to the date of notification of the Plan, and the length of time the burner may remain in use, or
notification (For sites that have become part of the Urban Area since 23	fire after 1 January 2008, except: i) from industrial or trade premises where the open fire is used exclusively for the smoking or cooking of food for wholesale or retail sale, or ii) from any 'Jetmaster'-type insert fireplace, where no discharge may		c) permitted clause b), where if a valid building consent is held but the time limit for installation of the fire or burner is exceeded, it is a restricted discretionary activity . Discretion restricted to whether the date of installation of the fire or appliance may be extended, or
August 2003, see rule AQr.25A)	occur after 1 January 2013 and cc) for any small-scale solid fuel burning appliance as detailed below, in the areas defined in Figures A2.2A & B, no discharge to air occurs after the cessation date set out below: Airshed A (Nelson South) & Airshed B (area		d) permitted clause c), or cc) if the burner was installed prior to 31 December 1990, and where the discharge is from a building which is listed as a Group A Heritage Building in the Nelson Resource Management Plan, and is on the register of the Historic Places Trust,
	B1 (Tahunanui)): Installation Date Cessation Date		in which case the activity is a restricted
	i) prior to 31 December 1995 1 January 2010		discretionary activity. Discretion restricted to:
	ii) prior to 31 December 1999 1 January 2012		i) the fuel used, and ii) the time of use, and
	Airshed B (area B2 (Stoke/Wakatu/Enner Glynn)): Installation Date i) prior to 31 December 19901 January 2010 ii) prior to 31 December 19951 January 2012, and		 iii) conditions relating to the smoke, odour and other contaminants emitted, including stack design, and iv) the length of time the fire or burner may remain in use. e) permitted clause cc), where the discharge is from an enclosed burner installed since
	 d) no fuels in Rule AQr.20 (Prohibited Activities) are burnt, and e) all reasonable steps are taken to minimise the amount of smoke discharged, and there is no discharge of excessive smoke (excluding a 15 minute start-up period). 		1990 in a kitchen and designed specifically for the cooking of food (other than a coal range), or an enclosed burner used to heat water or oil in a central heating system involving radiators or underfloor heating, in which case the activity is a restricted
	(Note: Compliance with Rule AQr.22 (General		discretionary activity. Discretion restricted to:
	Conditions) is also required.)		v) the type of burner used, and vi) the fuel used, and vii) the time of use, and viii) conditions relating to the smoke, odour and other contaminants emitted, including stack design, and ix) the length of time the burner may remain in use. (In this rule applications for restricted discretionary activities need not be notified, the written approval of affected persons will not be necessary and notice of applications need not be served on any person.)

AQr.24.4

Heritage Buildings

 in the case of heritage buildings, how significant on-going use of the open fire or enclosed burner is in terms of the heritage character of the building, how significant that building is, and the degree of public benefit derived from allowing on-going use of the fire or burner.

Enclosed Burners

aa) the likely emissions from the burner, its thermal efficiency, the type of fuel used, the location and height of the stack, the duration and frequency of use, how integral the burner is to the functioning and use of the dwelling or building, the age of the burner, whether the building is insulated or has other energy efficiency measures installed, and the level of investment in the heating or cooking system.

'Unlawful' Fires & Burners

- b) the reasons why a building consent or other permit for the fire or appliance does not exist, and the nature and reliability of evidence to demonstrate that the fire or appliance was installed and in use prior to notification of the Plan. In all cases the Council may inspect the fire or appliance to verify the likely date of installation.
- bb) the age, condition and geographic location of the fire or burner.

Delay in installation

- c) the reason for any delay in actioning a permission to install a fire or appliance.
- the length of the extension being sought, and how appropriate it is considering the objectives and policies of the Plan.

General (applied in all cases as appropriate)

- the likely effects on ambient air quality and the air quality target, having regard to the airshed in which the discharge occurs.
- the impact of the discharge on local and ambient air quality.
- g) the proximity and nature of nearby activities, including any sensitive receptors.
- any precedent effect of allowing the discharge, including any adverse impact on the public's confidence in the consistent administration and the integrity of this Plan and the Council's clean air target and strategies.

Explanation

AQr.24.5

Within the Urban Area (defined in Chapter A2), the use of open fires installed prior to this Plan being notified is allowed to continue up until 1 January 2008. Discharge to air from open fires is prohibited after that date (except as discussed further below).

The use of existing enclosed burners (such as wood burners, potbelly stoves and other enclosed appliances) is also being phased out in certain areas. In Airshed A (Nelson South) and the Tahunanui and Tahunanui Hills part of Airshed B (as shown in Figure A2-2B, at the end of Chapter A2), the use of enclosed burners installed prior to 2000 must progressively have ceased between 2010 and 2012, starting with the oldest burners. This is necessary to meet the targets imposed by the National Environmental Standards for air quality. In the Stoke, Enner Glynn and Wakatu part of Airshed B, only pre-1996 enclosed burners are subject to the phase-out.

In the rest of the Urban Area, the use of solid fuel burning enclosed appliances installed prior to this Plan being notified is allowed to continue, and there is no mandatory phase-out date. The Plan aims to achieve air quality improvements in these areas when such appliances are replaced voluntarily, by ensuring this is done with either non-solid fuel appliances or with solid fuel appliances with low particle emissions (see Rule AQr.25).

It should be noted that where there is a mandatory phase-out date for an existing burner, that burner can be replaced with another burner which may continue in use indefinitely, providing the new burner meets the emissions standards and conditions in rule AQr.25.

Provision is made for resource consent applications to be made for ongoing use of open fires and pre-1991 enclosed burners in certain heritage buildings. This only applies to significant heritage buildings, having both Historic Places Trust registration, and Group A listing within the Nelson Resource Management Plan, and then only in specific circumstances. These exemptions are intended to apply to significant buildings such as Melrose House, Fairfield House and the like, which have particular heritage value and which are open to the public or regularly used by the community. This exemption is NOT intended for private dwelling houses or for buildings used for visitor accommodation or hospitality. There are alternatives available, for example, open fires can be discretely retro-fitted to run on gas, giving the desired ambience without the high levels of particle pollution.

In the case of enclosed burners, an exemption can also be applied for to allow the continued use of certain burners, for a period to be set by the resource consent, if it is granted. This provision is intended to apply to reasonably modern proprietary cooking stoves or central heating systems installed prior to the Plan being notified. It is expected that in order for ongoing use of these stoves to be granted, they would need to have low to moderate emissions of particles and other contaminants, as well as good thermal efficiency. Regard can also be had to other factors such as how reliant the household is on the unit, and whether house is insulated (or will be insulated). The general assessment criteria require that consideration is had to the airshed into which the discharge is occurring, and the likely impact on both ambient air quality and local effects, such as on neighbours.

The exemption for ongoing use of enclosed burners is NOT intended to apply to older style coal ranges, chip heaters or similar high emitting appliances.

A longer phase-out time has been provided for 'Jetmaster'-style insert fireplaces (including Warmingtons). While they meet the definition of an open fire they have lower particle emissions than an open fire and better heat output. Council records indicate the installation of very low numbers in the city, all since 1999. Given their low number, the newness of these appliances, their cost, and lower emissions, their use has been allowed until 2013, the date when full compliance with the National Environmental Standard for particle pollution needs to be achieved.

See Chapter A2 for the definition of 'lawfully approved'. This definition also covers fires or burners that at the date of notification were partway through the process of obtaining building consent. Resource consent can be applied for to authorise the use of fires installed before the date of notification of the Plan, but which were not 'lawfully approved'. A resource consent can also be applied for to allow longer than the installation times specified in permitted clause b). Granting these consent applications is at the Council's discretion, subject to the policies in Chapter 5 and the matters to which the Council has restricted its discretion.

Use of existing burners and open fires is subject to meeting certain performance standards, including the dryness of wood (see Rule AQr.20).

For sites that have become part of the Urban Area since 23 August 2003, see rule AQr.25A.

Note: Compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, and permitted clause (e), Council staff will be guided as appropriate by Appendices AQ9, 10 and 11.

Item	Permitted	Controlled	Discretionary/Non-complying/ Prohibited
AQr.25	AQr.25.1	AQr.25.2	AQr.25.3
Small-scale solid fuel burning appliances	Within the Urban Area, the discharge of any contaminant into air from the burning of solid fuel in any small-scale solid fuel burning appliance installed after the date of	Not applicable	Stack A) Any discharge that contravenes permitted clause d) ii) is a
(Urban Area)	notification of this plan is permitted if: aa) the small-scale solid fuel burning appliance is installed at Glenduan (The		restricted discretionary activity
Installation after plan notification (For sites that have	Glen), or a) the solid fuel burning appliance replaces a solid fuel burning appliance or 'Jetmaster'-type insert fireplace in the		Discretion restricted to the location, height and design of the emission stack, and the proximity of it to obstacles.
become part of the Urban Area since 23 August 2003, see rule AQr.25A)	building and on the site that was lawfully approved before the date of notification of this Plan, or was otherwise authorised under Rule AQr.24, and, where a cessation date is specified in Rule AQr.24.1.cc), the building consent application for replacement is lodged with the Council prior to that date, or		B) Any discharge that contravenes permitted clause d) i) is a noncomplying activity. Other C) Any discharge that
	b) up to 1 January 2008, the small-scale solid fuel burning appliance replaces an operable open fire on the site that was lawfully approved before the date of notification of this Plan or was otherwise authorised under Rule AQr.24, and the replacement burner is in the same room as the open fire or in an extension of that room, or		contravenes permitted clauses a), b), c) or d)iii) is a prohibited activity. Noncompliance with permitted clause (d)(iv) is an enforcement matter.
	 the small-scale solid fuel burning appliance replaces a small-scale solid fuel burning appliance installed in compliance with a) or b), but does not replace a pellet burner installed under Rule AQr.26, and 		
	d) the appliance (including any second-hand or repaired appliance) at all times:		
	 i) complies with the emission, operational and other requirements in Appendix AQ2, and 		
	ii) complies with the stack requirements in Appendix AQ3, and		
	iii) burns only fuel approved for use in the device as in Appendix AQ2, and burns no fuels in Rule AQr.20 (Prohibited Activities), and		
	iv) is operated so that all reasonable steps are taken to minimise the amount of smoke discharged, and there is no discharge of excessive smoke (excluding a 15 minute start-up period).		
	(Note: Compliance with Rule AQr.22 (General Conditions) is also required.)		

AQr.25.4

Stack Requirements

- a) the factors that constrain compliance with the stack requirements.
- the safety and effectiveness of alternative stack heights, designs or discharge points.
- any likely impact of downdraft or wind swirl that may affect the safe venting from the stack.
- the proximity and nature of nearby activities and structures, and the location of any windows or openings to any building, or any air supply intake.
- e) the proximity and nature of any sensitive receptors.

Non-compliance with emission standards

- f) the results of any alternative appliance testing methodology, having regard to the reliability and source of the results, the emission rate, the thermal efficiency, the emissions relative to thermal efficiency, and the likely daily particulate output relative to that expected under Appendix AQ2 a) and b).
- g) whether any departure from the emission and other requirements in Appendix AQ2 is for a single installation of an appliance, or seeking generic approval for a particular make and model of appliance to be included on the 'List of Authorised Solid Fuel Burning Appliances' referred to in Appendix AQ2.

General (applied in all cases as appropriate)

- the likely effects on ambient air quality and the air quality target.
- the impact of the discharge on local and ambient air quality.
- the proximity and nature of nearby activities, including any sensitive receptors.
- any precedent effect of allowing the discharge, including any adverse impact on the public's confidence in the consistent administration and the integrity of this Plan and the Council's clean air target and strategies.

Explanation

A2 (Meaning of Words).

AQr.25.5
This rule applies only within the Urban Area which is defined in Chapter

The restriction in clauses a) and b) (i.e. that there has to be an existing burner or open fire) does not apply at The Glen. However any burner installed in a new home or an existing home must comply with the emissions standards and other controls in AQr.25.

Clause a) of the permitted rule allows a solid fuel burning appliance that existed in a building prior to the Plan being notified to be replaced with another solid fuel burning appliance, providing the replacement appliance complies with the defined emissions standards and other clauses, and the replacement occurs prior to any mandatory phase-out date for use of the existing burner if a date is specified in Rule AQr.24.1.cc).

The appliance being replaced needs to have been 'lawfully approved' (See definition in Chapter A2, and Rule AQr.24). Rule AQr.24 sets out when existing fires and burners are deemed to be 'lawfully approved', including fires or burners that were 'mid-process' when this Plan was notified.

Permitted clause b) provides a similar 'grandparenting' provision where lawfully established open fires are being replaced. Clause c) continues this 'grandparenting provision' for replacement of the replacement appliances – that is, second and subsequent replacements. It also makes it clear that this rule does not apply to subsequent replacements of pellet burners that were first installed under rule AQr.26.

Clauses d) i and ii establish the emissions standards and operational requirements for replacement burners, and the smoke stack and fuel specifications. There is some limited ability to vary the specifications by resource consent, but the policy criteria for exemptions are tight. The aim is to provide some flexibility for specific stack locations and alternative emissions criteria, if the air quality objectives are still met.

Clauses a) to c) of the permitted rule aim to restrict the total number of solid fuel fires in the Urban Area to no more than existed at the time the Plan was notified. In order to achieve the Government standard levels for PM₁₀, it is important that overall numbers of fires in the Urban Area do not increase. Even with very low emission solid fuel appliances, a continued increase in total numbers would see a gradual erosion of the gains from changing to cleaner burners. (See Rules AQr.21 and AQr.26 for new houses and for houses without solid fuel fires). Rule AQr.26 provides an exception to this for pellet burners, but only subject to more stringent emission criteria than required under this rule.

The 'grandparenting' provision applies only to 'lawfully approved' fires or burners, as defined by Rule AQr.24, including consents granted under that rule. Rule AQr.24 in combination with Rule AQr.25 prevents people installing second-hand burners after the plan is notified in order to try to claim false 'grandparenting' rights. This otherwise would undermine one of the cornerstones of the clean air strategy, and could compromise achieving the Government PM_{10} guideline level.

Where no building consent or other authorisation exists for the original fire or burner that is to be replaced under this rule, some limited flexibility is provided in rule AQr.24 to authorise that fire or burner, provided the existence of the fire or burner prior to Plan notification can be reliably proven. Rule AQr.24 also allows (by consent application) for special circumstances to be considered where there is, or may be, a delay in installing the original fire or burner.

For sites that have become part of the Urban Area since 23 August 2003, see rule AQr.25A.

Note: Compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, and permitted clause (d)(iv), Council staff will be guided as appropriate by Appendices AQ9, 10 and 11.

Item	Permitted	Controlled	Discretionary/Non-complying/ Prohibited
AQr.25A	AQr.25A.1	AQr.25A.2	AQr.25A.3
fuel burning appliances	The discharge of any contaminant into air from the combustion of solid fuel in any open fire or small-scale solid fuel burning appliance located on a site: A) lying outside the Lirban Area as shown in	Not applicable	Within the area lying outside the Urban Area as shown in Appendix AQ12 (this being the extent of the Urban Area at the time this Plan was notified on 23
appliances Special transitional provisions applying to areas added to the Urban Area after 23 August 2003 (the notification date of this Plan) (For sites outside the Urban Area, Rule AQr.27 applies)	fire or small-scale solid fuel burning appliance		Appendix AQ12 (this being the extent of the Urban Area at the

Item	Permitted	Controlled	Discretionary/Non-complying/ Prohibited	
AQr.26	AQr.26.1	AQr.26.2	AQr.26.3	
Pellet burning appliances	Within the Urban Area, the discharge of any contaminant into	Not applicable	Within the Urban Area: A) the discharge of any	
(Urban Area)	air from the burning of wood pellets in any small-scale pellet burning appliance installed after the date of notification of this Plan		contaminant into air from the burning of wood pellets in any small-scale pellet burning appliance that contravenes a	
New buildings,	into:		permitted clause is a	
or	i) any new building, or		discretionary activity,	
Existing buildings not using solid fuel	ii) any building that did not have an operable open fire or a small-scale solid fuel burning appliance that was lawfully approved at the time of notification of this Plan, is		except that burning any fuel in AQr.20 is a prohibited activity. B) the discharge of any	
	permitted if:		contaminant into air from the	
	a) the appliance at all times:		replacement of any small- scale pellet burning appliance	
	i) complies with the emission, operational and other requirements in Appendix AQ2A, and		installed under AQr.26.1 or AQr.26.3A), is a prohibited activity if:	
	ii) complies with the stack requirements in Appendix AQ4, and		i) the replacement small- scale solid fuel burning appliance is not a pellet	
	iii) burns only wood pellets approved for use in the device as in Appendix AQ2A, and burns no fuels in Rule AQr.20 (Prohibited Activities), and		burner as defined in A2- 74A.	
	iv) is operated so that all reasonable steps are taken to minimise the amount of smoke discharged, and there is no discharge of excessive smoke (excluding a 15 minute start-up period), and			
	 b) where any appliance installed in accordance with this rule is successively replaced, the replacement small-scale pellet burning appliance complies with clause a). 			
	(Note: Compliance with Rule AQr.22 (General Conditions) is also required.)			

Assessment Criteria **Explanation** AQr.26.4 AQr.26.5 Stack Requirements existing houses that did not have a solid fuel fire at the time of the factors that constrain compliance with the stack notification of this Plan, and to subsequent replacement of such requirements. fires. Note that for houses with a fire that existed at the time the safety and effectiveness of alternative stack this Plan was notified, rule AQr.25 applies, not this rule. heights, designs or discharge points. Pellet burners are a special type of small-scale wood burning any likely impact of downdraft or wind swirl that may appliance that burn small compressed sawdust pellets (see A2affect the safe venting from the stack. 74A for definition). Pellet burners are generally lit automatically, the proximity and nature of nearby activities and and pellets fed to the fire at the stipulated rate by an electricallystructures, and the location of any windows or driven auger. Air to the fire is fan-driven. openings to any building, or any air supply intake. Because the fuel is of a regular size and moisture content, and is the proximity and nature of any sensitive receptors. continuously rather than batch fed, there is less potential for operator variability when a pellet fire is used in a home Non-compliance with emission standards environment. There is therefore a good case for treating pellet the results of any alternative appliance testing burners as a different class of appliance to batch-fed methodology, having regard to the reliability and woodburners. source of the results, the emission rate, the thermal Modelling studies have indicated that pellet fires could be allowed efficiency, the emissions relative to thermal efficiency, and the likely daily particulate output relative to that expected under Appendix AQ2A a) and b). Nelson's air quality. However, only the lower emitting pellet fires whether any departure from the emission and other should be allowed in under this provision. This rule, via Appendix requirements in Appendix AQ2A is for a single AQ2A, sets up a special standard for pellet burners only where installation of an appliance, or seeking generic approval for a particular make and model of

General (applied in all cases as appropriate)

Appendix AQ2A.

the likely effects on ambient air quality and the air quality target.

Solid Fuel Burning Appliances' referred to in

appliance to be included on the 'List of Authorised

- the impact of the discharge on local and ambient air quality.
- the proximity and nature of nearby activities, including any sensitive receptors.
- the cumulative effect of the proposed discharge on PM₁₀ levels, in combination with other discharges.

This rule applies to pellet burners installed into new houses, or into

into new houses and those existing houses currently without fires, without having a measurable impact on the rate of improvement in they are being installed in new houses or those without an existing fire. This standard is much more stringent than the one in Appendix AQ2 applying to woodburners and to pellet burners that are replacing fires and burners that existed prior to notification of

AQr.26.1b) requires that subsequent replacements of any pellet burner installed under clause AQr.26.1, occur only with burners that meet the emission requirements in Appendix AQ2A. Otherwise, if higher emitting burners complying with Appendix AQ2 but not AQ2A were installed, there would be a gradual worsening of air quality. Pellet fires were only allowed into new homes and those without existing fires on the basis that their collective emissions would be low - and it is important that emissions from this group of houses remain low. For this reason. it is a prohibited activity for a pellet burner installed under this rule to be replaced at a later date with a traditional-style woodburner (AQr.26.3B).

Item	Permitted	Controlled	Discretionary/Non-complying/ Prohibited
AQr.27	AQr.27.1	AQr.27.2	AQr.27.3
Small-scale solid fuel burning appliances and open fires	The discharge of any contaminant into air from the burning of solid fuel in any existing or new small-scale solid fuel burning appliance or open fire is permitted from any building not within the Urban Area if:	Not applicable	Any discharge that contravenes the permitted rule is a prohibited activity (see AQr.20)
(Outside Urban Area)	a) no fuels in Rule AQr.20 (Prohibited Activities) are burnt.		
New and existing	(Note: Compliance with Rule AQr.22 (General Conditions) is also required.)		
AQr.27A	AQr.27A.1	AQr.27A.2	AQr.27A.3
Small-scale solid fuel burning appliances and open fires (Urban Area) Commercial cooking or smoking	Within the Urban Area, the discharge of any contaminant into air from the burning of solid fuel in any small-scale solid fuel burning appliance or open fire installed before the date of notification of this Plan is permitted if: a) the activity occurs on an industrial or trade premises, and b) the discharge relates exclusively to the cooking or smoking of food for wholesale or retail sale, and c) rule AQr.25.1 is complied with. (Note: Compliance with Rule AQr.22 (General Conditions) is also required.)	Not applicable	Within the Urban Area, the discharge of any contaminant into air from the burning of solid fuel in any small-scale solid fuel burning appliance or open fire installed after the date of notification of this Plan is a restricted discretionary activity, if: a) the activity occurs on an industrial or trade premises, and b) the discharge relates exclusively to cooking or smoking of food for wholesale or retail sale. Discretion restricted to: i) stack height and location, and ii) specification of the fuel, and iii) the size of the appliance, and iv) control of smoke emissions and odour, and v) other discharges to air. Applications need not be notified, the written approval of affected persons will not be necessary and notice of applications need not be served on any person.

Assessment Criteria		Explanation	
AQ27.4		AQr.27.5	
Not applicable		The use of solid fuel appliances and open fires is allowed outside the Urban Area (see definition in Chapter A2). The only restriction is in relation to certain fuels which are prohibited.	
		This rule provides for the use of fires and burners that existed prior to notification of this Plan, as well as the use of fires and burners installed after that date.	
		Note: On any site less than 2 hectares in area, the National Environmental Standards for Air Quality ¹ , clauses 22 to 24, apply to new installations of woodburners and require appliance emissions of less than 1.5g/kg and at least 65% thermal efficiency.	
		¹ Resource Management (National Environmental Standards Relating to Certain Air Pollutants, Dioxins, and Other Toxics) Regulations – see A2-59A.	
AQ	r.27A.4	AQr.27A.5	
a)	the safety and effectiveness of the stack.	A small number of rectaurants and firms use solid fuel fired appliances for	
b)	any likely impact of downdraft or wind swirl that may affect safe venting from the stack.	A small number of restaurants and firms use solid fuel-fired appliances for cooking or smoking food. Wood-fired pizza ovens for example, if they are less than 40kW and have a door on, are classed as a 'small-scale solid	
c)	the proximity and nature of nearby activities and structures, and the location of any windows or openings to any building, or any air supply intake.	fuel burning appliance'. Without a door, technically they are an 'open fire' on the basis of the definitions in this Plan. The normal domestic rules prohibit the installation of new open fires, or small-scale burners in new premises.	
d)	the expected emission levels from the discharge, particularly of PM_{10} and how these compare with Appendix AQ2 a) and b).	AQr.27A.3 makes provision for such new units in industrial or trade premises provided they are used exclusively for cooking or smoking food.	
e)	the likely effects on ambient air quality and the air quality target.	This rule could not be used for example to install an open fire for space heating even if it were occasionally used for cooking.	
f)	the impact of the discharge on local and ambient air quality, the proximity and nature of nearby activities, including any sensitive receptors.	AQr.27A.1 simply recognises that if such cooking devices comply with the normal rules in AQr.25, they are permitted in any event.	
g)	the expected time of day and of year when the discharge will occur.	Relatively few of these discharges are likely to occur. The impact on ambient air quality is likely to be minor, and the rule is therefore focussed	
h)	any cumulative effects with any nearby discharges.	to ensure there are no localised adverse effects, for example, on neighbouring properties.	

Item	Permitted	Controlled	Discretionary/Non-
	1 0/11111100		complying/ Prohibited
AQr.28	AQr.28.1	AQr.28.2	AQr.28.3
Large-scale fuel burning appliance The discharge of any contaminant into air from the combustion of LPG in a large-scale fuel burning appliance is permitted if:		Not applicable	Any discharge that contravenes a permitted clause is a discretionary activity.
LPG	a) the combined heat output from all appliances on the site burning LPG does not exceed 4 MW, and		
	b) the stack complies with the requirements in Appendix AQ5, and		
	c) the fuel burning equipment is maintained in accordance with the manufacturer's specifications at least once every year by a person competent in the maintenance of that equipment. This maintenance must include adjustment, if necessary, of the fuel to air ratio and testing of the ratio of combustion gases (carbon monoxide, carbon dioxide and oxygen) discharged, and a copy of each maintenance report is held and made available on request to Nelson City Council. (Note: Compliance with Rule AQr.22 (General Conditions) is also required.)		

Assessment Criteria	Explanation	
AQr.28.4	AQr.28.5	
 a) the ambient levels of PM₁₀, and other contaminants where relevant, and the predicted effect that the activity will have on these levels. 	Liquefied petroleum gas (LPG) is regarded as a relatively "clean" fuel because, when burned in efficient appliances, it emits only very small amounts of particulate matter and sulphur dioxide.	
 the predicted results of the likely ground level concentration of contaminants from atmospheric dispersion modelling. 	The low potential for environmental effects is reflected in this rule that permits combustion from these sources on the site to a level that does not exceed 4MW in size. This rule is not intended to	
 c) the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated. 	address greenhouse effects. The direction, height and proximity of adjacent buildings to	
 d) the proximity and nature of nearby activities, and the likely future uses given the zoning of the land. 	stacks can affect the dispersion of exhaust gases and if not appropriately managed can lead to high ground level concentrations of contaminants. The maintenance and operation of appliances can also affect the levels of	
 e) the proximity and nature of any sensitive receptors. 	contaminants released.	
 new options, processes or techniques available to minimise any discharges or their effects. 	Information and dispersion modelling supporting the classification of activities in this rule is contained in NIWA report ALK2002-037-R1, August 2004, available from Nelson City	
 g) the total amount of the discharge and the time period over which the discharge occurs. 	Council. Discharges from sites that have a maximum heat output of more	
 h) the topography, including whether the discharge will be located at the head or bottom of valleys and airsheds and the meteorology of the area including wind speed and wind direction. 	than 5MW have the potential to affect aircraft flight paths. Consideration of this issue is required, including the views of the Airways Corporation, when assessing such discharges on a case by case basis. The Civil Aviation Rules (Standards for	
 the potential effect of the discharge on aircraft flight paths where the combined discharge from all fuel burning on the site is greater than 5MW. 	Determining Hazards) state that use of a structure is a hazard in navigable airspace if it may discharge efflux gases at a velocity in excess of 4.3m per second, either through the obstacle limitation surface applicable to the aerodrome, or at a point 60m above ground level.	
	Note: Compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by Appendices AQ9, 10 and 11.	

Item Permitted		Controlled	Discretionary/Non- complying/ Prohibited	
AQr.29 AQr.29.1		AQr.29.2	AQr.29.3	
Large-scale fuel burning appliance	The discharge of any contaminant into air from the combustion of kerosene or diesel in a large-scale fuel burning appliance is permitted if:	Not applicable.	Any discharge that contravenes a permitted clause is a discretionary	
Kerosene or diesel	a) the combined heat output from all appliances on the site burning kerosene does not exceed 2 MW, and		activity, except in the case of clause (e) where the activity is a prohibited activity (see Rule AQr.20).	
	aa) the sulphur content of any kerosene burnt does not exceed 0.2% by weight, and		Rule AQI.20).	
	ab) the net combined heat output from all appliances on the site burning diesel does not exceed 5MW, and			
	b) the stack complies with the requirements in Appendix AQ5, and			
	c) except for a period not exceeding two minutes in each hour of operation, the opacity of the discharge at the chimney exit is not darker than Ringelmann Shade No. 1, as described in New Zealand Standard 5201:1973, and,			
	d) the fuel burning equipment is maintained in accordance with the manufacturer's specifications at least once every year by a person competent in the maintenance of that equipment. This maintenance must include adjustment, if necessary, of the fuel to air ratio and testing of the ratio of combustion gases (carbon monoxide, carbon dioxide and oxygen) discharged, and a copy of each maintenance report is held and made available on request to Nelson City Council, and e) no fuels in Rule AQr.20 (Prohibited Fuels) are burnt.			
	(Note: Compliance with Rule AQr.22 (General Conditions) is also required.)			

Assessment Criteria		Explanation
	r.29.4 the ambient levels of PM ₁₀ , and other contaminants where relevant, and the predicted effect that the activity will have on these levels. the predicted results of the likely ground level concentration of contaminants from atmospheric dispersion modelling. the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated. the proximity and nature of nearby activities, and the likely future uses given the zoning of the land. the proximity and nature of any sensitive receptors. the likely degree of contaminants discharged to the air if alternative fuel was used and the potential effects on the environment. new options, processes or techniques available to minimise any discharges or their effects. the total amount of the discharge and the time period over which the discharge occurs. the topography, including whether the discharge will be located at the head or bottom of valleys and airsheds and the meteorology of the area including wind speed and wind direction. the potential effect of the discharge on aircraft flight paths where the combined discharge from all fuel burning on the site is greater than 5MW.	AQr.29.5 The operation of kerosene and diesel burning heating equipment should not cause adverse effects on the environment when fuel quality, combustion and stack design are correctly controlled and when the heat output from the site does not exceed the level specified. This rule is not intended to address greenhouse effects. Information and dispersion modelling supporting the classification of activities in this rule is contained in NIWA report ALK2002-037-R1, August 2004, available from Nelson City Council. Efficient operation of fuel-burning equipment, including ensuring optimal fuel to air ratio, will minimise the discharge of products of incomplete combustion. Ringelmann charts are commonly used in New Zealand to measure the density of smoke emissions from small fuel-burning devices. These charts consist of increasingly dark shades of grey where 20, 40, 60, 80 and 100% obscuration represent Ringelmann shades 0, 1, 2, 3 and 4 respectively. Regular servicing by a competent person is necessary to ensure efficient combustion and to remove ash accumulation within the device. Discharges from sites that have a maximum heat output of more than 5MW have the potential to affect aircraft flight paths. Consideration of this issue is required, including the views of the Airways Corporation, when assessing such discharges on a case by case basis. The Civil Aviation Rules (Standards for Determining Hazards) state that use of a structure is a hazard in navigable airspace if it may discharge efflux gases at a velocity in excess of 4.3m per second, either through the obstacle limitation
i)	the total amount of the discharge and the time period over which the discharge occurs. the topography, including whether the discharge will be located at the head or bottom of valleys and airsheds and the meteorology of the area including wind speed and wind direction. the potential effect of the discharge on aircraft flight paths where the combined discharge from	device. Discharges from sites that have a maximum heat output of more than 5MW have the potential to affect aircraft flight paths. Consideration of this issue is required, including the views of the Airways Corporation, when assessing such discharges on a case by case basis. The Civil Aviation Rules (Standards for Determining Hazards) state that use of a structure is a hazard in navigable airspace if it may discharge efflux gases at a velocity in

Item	Permitted	Controlled	Discretionary/Non- complying/ Prohibited
AQr.30	AQr.30.1	AQr.30.2	AQr.30.3
AQr.30 Large-scale fuel burning appliance Light fuel oil or heavy fuel oil	AQr.30.1 The discharge of any contaminant into air from the combustion of light fuel oil or heavy fuel oil in a large-scale fuel burning appliance is not a permitted activity.	The discharge of any contaminant to air from the large-scale external combustion of light fuel oil or heavy fuel oil is a controlled activity if: a) the combined heat output from all appliances on the site burning light fuel oil does not exceed 200 kW, and aa) the combined heat output from all appliances on the site burning heavy fuel oil does not exceed 100kW, and b) no fuels in Rule AQr.20 (Prohibited Fuels) are burnt. Control reserved over: i) stack height and design, and ii) direction of exhaust gases, and	AQr.30.3 Any discharge that contravenes a controlled clause is a discretionary activity, except in the case of clause (b) where the activity is prohibited (see Rule AQr.20).
		 iii) sulphur content of fuel, and iv) hours of operation and maintenance, and v) distance from sensitive receptors. (Note: Compliance with Rule AQr.22 (General Conditions) is also required) The written approval of affected persons will not be necessary and notice of applications need not be served on any person. 	

Assessment Criteria AQr.30.4		Explanation	
		AQr.30.5	
a)	the ambient levels of PM ₁₀ and the predicted effect that the activity will have on these levels.	The potential adverse effects from the use of heavy and light fuel oil can be significant.	
b)	the predicted results of the likely ground level concentration of contaminants from atmospheric dispersion modelling.	Studies show that fuel oil boilers in terms of kilograms of fuel burned can emit over 5 times more particulate and 30 to 60 times more sulphur dioxide compared to	
c)	the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated.	diesel boilers. Coal fired boilers can emit up to 50 times (per kilogram	
d)	the proximity and nature of nearby activities, and the likely future uses given the zoning of	of fuel burned) the particulate and up to 3 times sulphur relative to diesel boilers.	
	the land.	Small light oil and coal burners are dealt with as	
e)	the proximity and nature of any sensitive receptors.	controlled activities, but medium to large units must be assessed on their merits as discretionary activities.	
f)	the likely degree of contaminants discharged to the air if alternative fuel was used and the potential effects on the environment.	Information and dispersion modelling supporting the classification of activities in this rule is contained in NIWA report ALK2002-037-R1, August 2004, available	
g)	new options, processes or techniques available to minimise any discharges or their effects.	from Nelson City Council. Discharges from sites that have a maximum heat	
h)	the total amount of the discharge and the time period over which the discharge occurs.	output of more than 5MW have the potential to affect aircraft flight paths. Consideration of this issue is required, including the views of the Airways	
i)	the topography, including whether the discharge will be located at the head or bottom of valleys and airsheds and the meteorology of the area including wind speed and wind direction.	Corporation, when assessing such discharges on a case by case basis. The Civil Aviation Rules (Standards for Determining Hazards) state that use of a structure is a hazard in navigable airspace if it may	
j)	the potential effect of the discharge on aircraft flight paths where the combined discharge from all fuel burning on the site is greater than 5MW.	discharge efflux gases at a velocity in excess of 4.3m per second, either through the obstacle limitation surface applicable to the aerodrome, or at a point 60m	
k)	how significant the discharge is in terms of the total industrial contribution to the airshed.	above ground level. Note: Compliance with Rule AQr.22 General	
l)	the age of the existing plant (old plant will likely be beyond its design life).	Conditions is also required which relates to smoke, dust, odour and other effects. In terms of	
m)	how practicable the reductions are, and the economic costs of making them (and not making them).	compliance and enforcement of this rule, Council staff will be guided as appropriate by Appendices AQ9, 10 and 11.	

Item	Permitted	Controlled	Discretionary/Non- complying/ Prohibited	
AQr.30A Large-scale fuel burning appliance Wood pellets	AQr.30A.1 The discharge of any contaminant into air from the combustion of wood pellets in a large-scale fuel burning appliance is permitted if: a) the large scale fuel burning appliance is purpose designed and manufactured* to burn wood pellets, and b) the combined heat output from all such purpose designed and manufactured appliances on the site burning wood pellets does not exceed 220kW, and c) the discharge is not replacing an existing discharge on the site from a large-scale fuel burning appliance burning wood or coal, and d) the wood pellet fuel burnt in the appliance meets the quality assurance specifications defined in either AS/NZS 4014.6:2007, or Category A in the Bioenergy Association Wood Fuel Classification Guidelines Version 5, 28 July 2010, and e) no fuels in Rule AQr.20 (Prohibited Fuels) are burnt,	AQr.30A.2 The discharge of any contaminant into air from the combustion of wood pellets in a large-scale fuel burning appliance is a controlled activity if: a) the discharge is from a wood pellet-burning appliance that replaces a large-scale fuel burning appliance on the site of at least equivalent heat output that at the time of replacement was burning wood or coal, and where the discharge to air was lawfully approved, and b) the large-scale fuel burning appliance being replaced under a) ceases to burn wood or coal, and c) the replacement large-scale fuel burning appliance is designed and manufactured to burn wood pellet fuel, or is an existing or replacement appliance converted to burn wood pellet fuel, and d) the wood pellet fuel burnt in the appliance meets the quality assurance specifications defined in either AS/NZS 4014.6:2007, or Category A in	Discretionary/Non-complying/ Prohibited AQr.30A.3 Any discharge that contravenes permitted clause a), b), d), or f) or a controlled clause is a discretionary activity, except in the case of clause AQr.30A.1 (e) or AQr.30A.2 (e) where the activity is prohibited (see Rule AQr.20). Non-compliance with permitted clause g) is an enforcement matter. (Non-compliance with permitted clause c) is a controlled or a discretionary activity, depending on whether other controlled standards are complied with.)	
	Wood Fuel Classification Guidelines Version 5, 28 July 2010, and e) no fuels in Rule AQr.20	d) the wood pellet fuel burnt in the appliance meets the quality assurance specifications defined in either AS/NZS 4014.6:2007, or Category A in the Bioenergy Association Wood Fuel Classification Guidelines Version 5, 28 July 2010, and e) no fuels in Rule AQr.20 (Prohibited Fuels) are burnt		

^{*} Designed and manufactured means an appliance designed and factory-built to burn wood pellet fuel, rather than a burner that has been modified from burning another fuel to burning wood pellets.

Assessment Criteria Explanation AQr.30A.4 AQr.30A.5 a) the ambient levels of PM₁₀ and the predicted PM₁₀ emissions from purpose-built pellet-fired boilers can be approximately one third the emissions of wood effect that the activity will have on these levels. or coal boilers of equivalent size, and boilers converted b) the predicted results of the likely ground level from wood or coal to burn pellets can have emissions concentration of contaminants from atmospheric about one half the levels typical for wood and coal. dispersion modelling. (NIWA report CHC2010-061 'Proposed classification of c) the extent to which adverse effects on sensitive Wood Pellet Fuelled Boilers'). receptors are avoided, remedied or mitigated. Modelling by NIWA indicates that new purpose-built d) the proximity and nature of nearby activities, and pellet boilers could be allowed as permitted activities, if the likely future uses given the zoning of the they are small - less than 220kW (the equivalent of 20 domestic pellet burners. Ultra low emission domestic e) the proximity and nature of any sensitive pellet burners are permitted in new houses or ones receptors. without a current fire). the likely degree of contaminants discharged to Since new or retrofitted pellet boilers will substantially the air if alternative fuel was used and the improve the emissions from any industrial combustion potential effects on the environment. involving wood or coal, the replacement or conversion of an existing large-scale wood-burning or coal burning g) new options, processes or techniques available appliance to instead run on wood pellets has been to minimise any discharges or their effects. made a controlled activity (such consent applications h) the total amount of the discharge and the time cannot be declined, but conditions can be imposed). period over which the discharge occurs. This is to help facilitate a transition to lower emitting i) the topography, including whether the discharge appliances and improve ambient air quality. will be located at the head or bottom of valleys Where the discharge is new and from a purpose and airsheds and the meteorology of the area designed and manufactured pellet boiler of more than including wind speed and wind direction. 220kW in capacity then a discretionary resource the potential effect of the discharge on aircraft consent is needed. A discretionary resource consent flight paths where the combined discharge from

all fuel burning on the site is greater than 5MW.

in the case of renewal of consent, the age of the

practicable reductions in emissions are, and the

economic costs of making them (and not making

existing fuel, the expected change in peak and

mass emissions, and the environmental effects of

existing plant (old plant will likely be beyond its

k) how significant the discharge is in terms of the

total industrial contribution to the airshed.

n) if the burning of wood pellets is replacing an

m) in the case of renewal of consent, how

design life).

Note: Compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by Appendices AQ9, 10 and 11.

Item	Permitted	Controlled	Discretionary/Non-complying/ Prohibited
AQr.31	AQr.31.1	AQr.31.2	AQr.31.3
Large-scale fuel burning appliance	The discharge of any contaminant into air from the combustion of coal or wood in a	Not applicable	a) The discharge of any contaminants into air from the combustion of wood or coal in a large-scale fuel burning appliance is a restricted discretionary activity if:
Coal of Wood	large-scale fuel burning appliance is not a permitted		the combined heat output from all appliances on the site burning wood or coal does not exceed 200kW, and
	activity.		 no fuels in Rule AQr.20 (Prohibited Fuels) are burnt,
			Discretion restricted to: i) stack height and design, and ii) direction of exhaust gases, and iii) specifications of the fuel to be used, and iv) installation of air pollution abatement equipment or design features, and v) hours of operation, and vi) maintenance schedules and programmes, and vii) distance from sensitive receptors, and viii) monitoring and reporting requirements, and ix) review of consent conditions and duration of consent, and x) whether the discharge singly or in combination with other discharges will cause a breach of the ambient air quality targets in this Plan, or the standards in the National Environmental Standards for Air Quality, and xi) whether the discharge singly or in combination with other discharges will slow or in absolute terms limit the achievement of the ambient air quality targets in this Plan, or the standards in the National Environmental Standards for Air Quality. Applications need not be notified, the written approval of affected parties will not be necessary and notice of applications need not be served on any person. b) The discharge of any contaminants into air from the combustion of wood or coal in a large-scale fuel burning appliance that contravenes the Restricted Discretionary Activity clause 1) is a discretionary activity, if: 1) no fuels in Rule AQr.20 (Prohibited Fuels) are burnt.

AQr.31.4

- the ambient levels of PM₁₀, and other contaminants where relevant, and the predicted effect that the activity will have on these levels.
- the predicted results of the likely ground level concentration of contaminants from atmospheric dispersion modelling.
- the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated.
- the proximity and nature of nearby activities, and the likely future uses given the zoning of the land.
- g) the proximity and nature of any sensitive receptors.
- the likely degree of contaminants discharged to the air if alternative fuel was used and the potential effects on the environment.
- ff) in the case of burning waste materials, an assessment of alternatives to the discharge, and a comparative assessment of those alternatives in terms of the effects on the environment.
- new options, processes or techniques available to minimise any discharges or their effects.
- j) the total amount of the discharge and the time period over which the discharge occurs.
- k) the topography, including whether the discharge will be located at the head or bottom of valleys and airsheds and the meteorology of the area including wind speed and wind direction.
- the potential effect of the discharge on aircraft flight paths where the combined discharge from all fuel burning on the site is greater than 5MW.
- m) the predicted ground level concentrations of contaminants compared to the ground level concentrations likely to occur from activities permitted under rules AQr.28 and AQr.29.

Explanation

AQr.31.5

Wood and coal burning boilers and heaters are the primary sources of particulate matter discharged from the industrial and commercial sector in the Urban Area.

Solid fuel burning is estimated to contribute approximately 90% of the $PM_{\rm 10}$ emissions from this sector in Nelson.

The amount of particulate matter discharged varies according to the design and operation of each appliance and the type of fuel used. Studies show that (per kilogram of fuel burned) wood and coal boilers can emit up to 30 to 50 times more PM_{10} than diesel boilers while the sulphur dioxide emissions from the combustion of coal fuel (if the sulphur content is 1% by weight) can be 20 times more than diesel (if the fuel is 0.05% sulphur by weight).

In order to control these potential effects, all external combustion devices have to apply for resource consent to be assessed on a case by case basis. In doing so, it is also relevant to consider the ground level concentrations of contaminants that may occur relative to those likely, as-of-right, from permitted activities under rules AQr.28 and AQr.29.

Information and dispersion modelling supporting the classification of activities in this rule is contained in NIWA report ALK2002-037-R1, August 2004, available from Nelson City Council.

Discharges from sites that have a maximum heat output of more than 5MW have the potential to affect aircraft flight paths. Consideration of this issue is required, including the views of the Airways Corporation, when assessing such discharges on a case by case basis. The Civil Aviation Rules (Standards for Determining Hazards) state that use of a structure is a hazard in navigable airspace if it may discharge efflux gases at a velocity in excess of 4.3m per second, either through the obstacle limitation surface applicable to the aerodrome, or at a point 60m above ground level.

Note: Compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by Appendices AQ9, 10 and 11.

Item	Permitted	Controlled	Discretionary/Non-complying/ Prohibited		
AQr.31A	AQr.31A.1	AQr.31A.2	AQr.31A.3		
Large-scale fuel burning appliances Other solid and liquid fuels	The discharge of any contaminant into air from the combustion of any solid or liquid fuel in a large-scale fuel burning appliance not otherwise specified in a rule in this Plan is not a permitted activity.	Not applicable	Any discharge that contravenes the permitted rule is a discretionary activity , except where the activity is non-complying or prohibited. B) The discharge of any contaminant to air from the combustion of any of the materials in the following list i) to v) in a large-scale fuel burning appliance is a non-complying activity : i) all rubber, including but not limited to rubber tyres, or		
			i) waste oil.		
			C) The discharge of any contaminant from the combustion of any of the materials in a large-scale fuel burning appliance the following list i to v) is a prohibited activity :		
			i) wood treated or impregnated with copper-chrome-arsenic, or		
			ii) metals or materials containing metal (including but not limited to cables), or		
			 iii) material containing tar or bitumen, or iv) material containing asbestos (except for the processing of vehicle brake shoes subject to resource consent under AQr.53 (All other industrial or trade premises)), or 		
			 v) synthetic material (excluding wood coatings), including, but not limited to, motor vehicle parts, foams, fibreglass, batteries, chemicals, or any type of plastic (excluding plastic-coated wood, or the burning of plastic allowed under Rule AQr.55A (Outdoor Burning Rural)). 		

AQr.31A.4

- a) the ambient and acute levels of any hazardous air pollutants or air toxics that may be discharged.
- aa) the proportion of any hazardous compounds within the fuel, the nature of these compounds, and whether they are likely to be destroyed by combustion at the temperatures expected in the appliance.
- the ambient levels of PM₁₀, and other contaminants where relevant, and the predicted effect that the activity will have on these levels.
- the predicted results of the likely ground level concentration of contaminants from atmospheric dispersion modelling.
- the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated.
- the proximity and nature of nearby activities, and the likely future uses given the zoning of the land.
- the proximity and nature of any sensitive receptors.
- g) the likely degree of contaminants discharged to the air if alternative fuel was used and the potential effects on the environment.
- new options, processes or techniques available to minimise any discharges or their effects.
- the total amount of the discharge and the time period over which the discharge occurs.
- i) the topography, including whether the discharge will be located at the head or bottom of valleys and airsheds and the meteorology of the area including wind speed and wind direction.
- k) the potential effect of the discharge on aircraft flight paths where the combined discharge from all fuel burning on the site is greater than 5MW.

Explanation

AQr.31A.5

This rule covers all other liquid or solid materials that could be burnt in large-scale appliances not otherwise specified in any other Rule in the Plan. The rule specifies some materials that may be able to be used as fuel in large-scale fuel burning appliances provided suitable combustion and emission control processes are utilised, and lists prohibited materials for which no resource consent can be sought.

Fuels that are not specified as non-complying or prohibited are discretionary. This includes re-refined oil, wood which has been painted, stained or oiled, wood coated with plastics (such as melamine) (see A2-67B), composite wood boards, and industrial sludge.

It is important to note that the operation of high-temperature hazardous waste incinerators in Nelson is prohibited by the National Environmental Standards Regulations 2004.

Discharges from sites that have a maximum heat output of more than 5MW have the potential to affect aircraft flight paths. Consideration of this issue, including the views of Airways Corporation, is required when assessing such discharges on a case by case basis

The following is a brief explanation of why materials are specified in this rule:

Wood treated with preservatives or impregnated with chemicals

Wood is commonly pressure-treated with chromated copper arsenate (CCA) to protect it from decay and extend its durability outdoors. These chemicals present a significant health and contamination risk when burned, as the chemicals are released into the air as combustion products. Hence burning such material is a prohibited activity.

All rubber, including but not limited to, rubber tyres

The emissions from rubber and tyre burning are dependent on the efficiency and rate of burn. Rubber tyres have been burned in cement kilns at high temperatures. However, when burned outdoors or in uncontrolled circumstances, significant quantities of hazardous air pollutants are emitted. The rule provides for the burning of tyres in large scale burners as a noncomplying activity, but open burning remains prohibited (see AQr.20).

Waste Oil

Waste oil can contain a variety of contaminants depending on its primary use. This includes zinc, lead, aluminium, chromium, and chlorides, among other things. Like rubber, combustion conditions need to be accurately controlled to ensure complete combustion, and appropriate emission control technology is required to remove metals. Note the activity status of waste oil is different to rerefined oil, as burning re-refined oil is considered to present less risk of adverse effects than burning waste oil.

Metals and materials containing metals

Burning metals or materials containing metals is a prohibited activity. Historically, burning coatings from copper wires was considered an appropriate and convenient method of removing coatings to allow recycling of the metal cable. Unfortunately this has been accompanied by emissions of significant emissions of hazardous air pollutants. Note that the National Environmental Standards for Air Quality ban the burning of coated wire in the open (see AQr.20).

Material containing tar and bitumen

Burning of tar and bitumen emits hazardous air pollutants. This has most commonly occurred during road surfacing work, however the practice of bitumen burning has been declining as other options become available, and is now prohibited by the National Environmental Standards for Air Quality.

Materials containing asbestos

Asbestos fibres, if inhaled, can result in significant long term health problems. A prohibition on burning asbestos will minimise the suspension of any fibres into the air. Provision has been made for the heating of brake pads to melt binding resins during automotive repairs.

Synthetic material

Combustion of glues, plastics, paints and other synthetic materials commonly causes the discharge of toxic and odorous compounds. Some of the compounds discharged (such as dioxins, furans and heavy metals) cause health effects at low concentrations and are known to accumulate in the environment. Plastic-coated wood (defined in A2-67B, Chapter 2) is exempt from the prohibition and can be considered as a fuel, as a discretionary activity. Note that to avoid confusion, a material specified in any other clause in this rule that may be considered a 'synthetic material' is not regulated by clause AQr.31A.3C)v).

Item Pe	ermitted	Controlled	Discretionary/Non- complying/ Prohibited
AQr.32 A	AQr.32.1	AQr.32.2	AQr.32.3
Stationary internal combustion engine Tree combustion engine (N	AQr.32.1 The discharge of any contaminant into air rom combustion within a stationary internal combustion engine is permitted if: a) the fuel is gas, liquefied gas, petrol, diesel, vegetable oils or alcohol, and b) fuel containing sulphur at levels greater than 0.05% by weight is not burned, and c) no fuels in Rule AQr.20 (Prohibited Fuels) are burnt, and d) i) the power output of the device does not exceed 30 kW, or ii) the power output of the device is between 30 and 400 kW, and a. the engine is not operated for a total of greater than 5 hours in any 24-hour period, and b. where the engine is in a fixed location, the stack complies with the requirements in Appendix AQ6, or iii) the engine is used in an unforeseen emergency to drive a pump, or an electrical generator. Note: Compliance with Rule AQr.22 General Conditions) is also required.)	AQr.32.2 Not applicable	

Assessment Criteria		Explanation	
AQ	r.32.4	AQr.32.5	
a)	the ambient levels of PM ₁₀ , and other contaminants where relevant, and the predicted effect that the activity will have on these levels.	Generators are often used by businesses and institutions to provide electricity in the event of a power supply failure. These generators typically have an energy output of less than 400 kW and are usually operated only infrequently for short-term replacement of the regular	
b)	the predicted results of the likely ground level concentration of contaminants from atmospheric dispersion modelling.	electricity supply, or for testing and maintenance purposes. When used in such a way the use of the engine is subject to the control under permitted clause d) ii). However, when a genuine unforeseen	
c)	the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated.	emergency arises due to a major electricity supply failure, generators have been exempted from these controls under clause d) iii). To comply would be impractical, and the emergency considerations necessarily must prevail.	
d)	the proximity and nature of nearby activities, and the likely future uses given the zoning of the land.	Many other internal combustion engines, such as pumps, are also maintained for emergency or occasional use.	
e)	the proximity and nature of any sensitive receptors.	Smaller units (less than 30kW) that are commonly used to power a small generator or pump, or supply electricity for a concert or event, have been given less onerous rules. Being small and portable, they	
f)	new options, processes or techniques available to minimise any discharges or their effects.	are likely to have relatively low emissions and are unlikely to be used on a single site for extended periods. Larger units (30-400kW) have been exempted from the stack rules if they are portable (i.e. not	
g)	the total amount of the discharge and the time period over which the discharge occurs.	installed in a permanent position/location). However, units that are not mobile but are located in one place are required to comply with the stack requirements.	
h)	the topography, including whether the discharge will be located at the head or bottom of valleys and airsheds and the meteorology of the area including wind speed and wind direction.	Internal combustion engines emit significantly more PM ₁₀ and nitrous oxides than large-scale fuel burning appliances (per kilogram of fuel burnt) hence the restrictions for larger units on output and hours of use.	
		However, because of the smaller scale and infrequency of discharge, any adverse effects can normally be kept to being no more than minor. The exhaust emission velocity is high, relative to external combustion appliances. Therefore unimpeded discharge above the roof of neighbouring buildings is sufficient to adequately disperse contaminants.	
		Other than the emergency situation discussed above, resource consent is required for any stationary internal combustion device that exceeds 400kW, due to potentially higher adverse environmental effects. Consent is also needed if such a unit is to be used for more than 5 hours in any given day.	
		Information and dispersion modelling supporting the classification of activities in this rule is contained in NIWA report ALK2002-037-R1,	

August 2004, available from Nelson City Council.

Note: Compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by Appendices AQ9, 10 and 11.

Specified premises				
Item	Permitted	Controlled	Discretionary/Non- complying/ Prohibited	
AQr.33	AQr.33.1	AQr.33.2	AQr.33.3	
Bulk material handling and storage	The discharge of any contaminant into air from bulk material handling and storage is permitted if: a) the discharge of the contaminant originates	Not applicable	Any discharge that contravenes a permitted clause is a discretionary activity.	
	from the Port Industrial Area, as identified by the Nelson Resource Management Plan, and			
	 i) open areas of land and stockpiles of materials are contained or maintained to minimise the creation of dust and to prevent its dispersal beyond the site, or 			
	b) the discharge of the contaminant originates from a quarry or other mineral extraction process, and			
	 i) the quarry or other mineral extraction process is located in the Rural Zone, as identified in the Nelson Resource Management Plan, and 			
	ii) open areas of land and stockpiles of materials are contained or maintained to minimise the creation of dust and to prevent its dispersal beyond the site, or			
	c) the discharge of the contaminant originates from an activity not described in a) or b), and			
	 a total output of 200 cubic metres per hour on the site is not exceeded for 			
	- open cast extraction, or			
	 size reduction, screening, or conveyance, or 			
	- material transported, and			
	ii) either the total amount of material stored in the open on the site does not exceed 5000 cubic metres at any one time or the material is stored in a building or under cover, and			
	 iii) any open areas of land or stockpiles of materials are contained or maintained to minimise the creation of dust and to prevent its dispersal beyond the site. 			
	(Note: Compliance with Rule AQr.22 (General Conditions) is also required.)			

Item	Permitted	Controlled	Discretionary/Non- complying/ Prohibited
AQr.34	AQr.34.1	AQr.34.2	AQr.34.3
Bulk petroleum storage The discharge of any contaminant into air bulk petroleum storage is permitted if: a) the product stored is: i) diesel, or ii) fuel oil, or iii) bitumen, or b) for any other volatile product stored, if following emission minimisation technology is installed in any new tar and by 2010 in any existing tank: i) internal floating covers (vertical tar only), or ii) rim seals (vertical tanks only), or iii) vapour management. (Note: Compliance with Rule AQr.22 (General Conditions) is also required.)		Not applicable	Any discharge that contravenes a permitted clause is a discretionary activity.
AQr 35	AOr 35 1	AQr.35.2	AQr.35.3
Ceramics	The discharge of any contaminant to air from the production of ceramics is permitted if: a) the total mass of wet clay fired on the site does not exceed 500 kg per day. (Note: Compliance with Rule AQr.22 (General Conditions) is also required.)	Not applicable	Any discharge that contravenes a permitted clause is a discretionary activity.

Ass	sessment Criteria	Explanation
AQ a) b) c) d) e) f)	new options, processes or techniques available to minimise any discharges or their effects. the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated. the total amount of the discharge and the time period over which the discharge occurs. the topography and the meteorology of the area including wind speed and wind direction. the proximity and nature of nearby activities, and the likely future uses given the zoning of the land. the proximity and nature of any sensitive receptors.	AQr.34.5 The nature of the wholesale storage emission sources is such that the facilities are designed and built to minimise evaporative losses and therefore it is unlikely that the guidelines for these contaminants will be exceeded. Due to the relatively valuable nature of the material being stored, facilities are generally designed, built and operated to minimise losses. Where emission minimisation technology is not installed, there is a requirement to do so by 2010. Vapour management refers to the collection and recovery/destruction of vapours from storage tanks, and is an alternative to installing internal floating covers and rim seals. Note: Compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by
AQ a) b) c) d) e) f)	the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated. the level of air pollutants released including hydrogen fluorides, hydrogen chloride, fine particulate matter and other contaminants. the total amount of the discharge and the time period over which the discharge occurs. the topography, and the meteorology of the area including wind speed and wind direction. the proximity and nature of nearby activities, and the likely future uses given the zoning of the land. the proximity and nature of any sensitive receptors.	AQr.35.5 The nature and scale of emissions from an artist or small factory ceramic facility are such that adverse effects are unlikely outside the site boundary. This rule only applies to the discharge of air from ceramics making processes, not the combustion from the kilns used to fire ceramics. Kilns are typically heated using electricity, but also commonly use liquefied petroleum gas (LPG). Other fuels including diesel, light fuel oil and wood may be used in some cases. Depending on size, discharges from kilns fired by oil or solid fuels will be required to comply with rules for fuel burning equipment specified in Rules AQr.23 or AQr.28 to 31 of this Plan. A maximum of 500 kg per day of wet fired clay is permitted. Note: Compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by Appendices AQ9, 10 and 11.

Item	Permitted	Controlled	Discretionary/Non- complying/ Prohibited
AQr.36	AQr.36.1	AQr.36.2	AQr.36.3
Chemical fume cupboards	The discharge of any contaminant to air from chemical fume cupboards is permitted if: a) air flow, fume exhaust and dispersal of any fume cupboard complies with section 3 of NZS2243.8-2001 'Safety in Laboratories Part 8: Fume Cupboards' (except if installed in a school owned by the Ministry of Education), and b) any fume cupboard installed in a school owned by the Ministry of Education complies with section 3 of NZS2243.8-2001 'Safety in Laboratories Part 8: Fume Cupboards' by 1 July 2010. (Note: Compliance with Rule AQr.22 (General Conditions) is also required.)	Not applicable	Any discharge that contravenes a permitted clause is a discretionary activity.
AQr.37 Composting	AQr.37.1 The discharge of any contaminant to air from composting is permitted if: a) the total volume of material being composted on the site does not exceed 10 cubic metres at any time or b) any material being composted is generated on site, and the site is located in the Rural Zone (as defined by the Nelson Resource Management Plan). (Note: Compliance with Rule AQr.22 (General Conditions) is also required.)	AQr.37.2 Not applicable	AQr.37.3 Any discharge that contravenes a permitted clause is a discretionary activity.

Assessment Criteria	Explanation
AQr.36.4	AQr.36.5
 the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated. 	Chemical fume cupboards are used in educational institutions and commercial laboratories.
 b) new options, processes or techniques available to minimise any discharges or their effects. c) the total amount of the discharge and the time period over which the discharge occurs. d) the topography, and the meteorology of the area including wind speed and direction. e) the proximity and nature of nearby activities, and the likely future uses given the zoning of the land. f) the proximity and nature of any sensitive receptors. 	NZS2243.8-2001 'Safety in Laboratories Part 8: Fume Cupboards' outlines clauses relating to airflow, fume exhaust and disposal of fumes. Controls are designed to ensure the discharge is vertically upwards, as remote from air intakes as possible, as well as requirements for the height of discharge points. The purpose and nature of chemical compounds used in educational laboratories tends toward less dangerous chemicals. Frequency of discharge also tends to be low. Workplace safety standards determine that the nature of chemical compounds used in commercial laboratories tends toward the less dangerous chemicals. Note: Compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by Appendices AQ9, 10 and 11.
 AQr.37.4 a) the nature of the material to be composted. b) the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated. c) new options, processes or techniques available to minimise any discharges or their effects including odour. d) the topography and the meteorology of the area including wind speed and direction. e) the proximity and nature of nearby activities, and the likely future uses given the zoning of the land. f) the proximity and nature of any sensitive receptors. g) the potential to attract vermin and flies, and potential control methods. 	AQr.37.5 Composting is defined in Chapter A2, and excludes the making of silage. The production of composting has the potential to create adverse odour, depending on the materials used and if the decomposition is not strictly controlled. A key factor is good operation to ensure aerobic breakdown of the plant material. Composting can also have adverse effects relating to dust, particulate matter, and vermin, if not properly managed. For this reason larger compost operations have to be considered on a case by case basis by resource consent. Siting and conditions of the operation are key factors. Clause b) of the permitted rule allows material generated on rural properties to be composted on-site. This is because onsite composting presents a lower risk of adverse effects in rural areas and promotes the disposal of green waste by composting rather than burning, Note: Compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by Appendices AQ9, 10 and 11.

Item	Permitted	Controlled	Discretionary/Non- complying/ Prohibited	
AQr.38	AQr.38.1	AQr.38.2	AQr.38.3	
The discharge of any contaminant into air from dry cleaning is permitted if: a) chlorofluorocarbon solvents are not used, and b) where more than 5 kg of solvent per day is used on the site: i) any discharge point is 2 metres above the highest point of the building containing the dry cleaning machine, and ii) the discharge is vertical and unimpeded by any immediately adjacent buildings, and iii) a record is kept of the type and quantity of solvent used in the dry cleaning machines each day, to be supplied to Nelson City Council on request, and c) any new dry cleaning plant installed uses dry-to-dry machines. (Note: Compliance with Rule AQr.22 (General Conditions) is also required.)		Not applicable	Any discharge than contravenes a permitted clause is a discretionary activity.	
AQr.39	AQr.39.1	AQr.39.2	AQr.39.3	
AQr.39 Dust from surfaces The discharge of dust into air from any surface that does not expressly contravene any other rule in this Plan or the Nelson Resource Management Plan is permitted, if: a) the general conditions in Rule AQr.22 are met.		Not applicable	Not applicable – enforcement matter under AQr.22.	

AQr.(a)	38.4	
a)	30	AQr.38.5
	new options, processes or techniques available to minimise any discharges or its effects including the number of emission points at the dry cleaning plant that are ducted to the filter system.	Dry cleaning processes are generally designed and operated to minimise emissions. The main contaminant of concern is perchloroethylene. Due to its high cost, this chemical is generally recovered during the dry cleaning process.
b)	the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated.	Ensuring that there are effective means of dispersal of contaminants as well as ensuring that operators accurately
c)	the total amount of contaminants discharged including perchloroethylene and the time period over which the discharge occurs.	record solvent use each day and this information is available to Nelson City Council are means to ensure that adverse effects are minimised.
d)	methods to recover solvents and the potential odour effects of not recovering the solvents used in the process.	Note: Compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and
e)	the topography and the meteorology of the area including wind speed and wind direction.	other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate
f)	the proximity and nature of nearby activities, and the likely future uses given the zoning of the land.	by Appendices AQ9, 10 and 11.
g)	the proximity and nature of any sensitive receptors.	
AQr.3	39.4	AQr.39.5
a)	the matters in Appendices AQ9, 10 and 11 as appropriate.	The contaminants discharged from surfaces such as unsealed carparks, industrial sites, and construction sites are primarily soil particles. The particles are generally large (greater than 10 microns in diameter) and are unlikely to cause significant adverse health effects.
		Any adverse effects resulting from this discharge into air are likely to be limited to nuisance effects at relatively close proximity to the source.
		Note: Rule AQr.22 (General Conditions) relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by Appendices AQ9, 10 and 11.

Item	Permitted	Controlled	Discretionary/Non- complying/ Prohibited
AQr.40	AQr.40.1	AQr.40.2	AQr.40.3
smoking industrial or trade premises, or industrial or trade processes, for cooking or smoking of food for		Any discharge that contravenes a permitted clause is a discretionary activity.	
	a) the capacity of any plant on the site cooking, smoking or processing of food for human or animal consumption, or the extraction, distillation or purification of animal or vegetable oil does not exceed 250 kg per hour of raw material, and b) no rancid fats or oils are processed, and c) no rendering of fats occurs. (Note: Compliance with Rule AQr.22 (General Conditions) is also required.)		

Ass	sessment Criteria	Explanation
	the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated. new options, processes or techniques available to minimise any discharges or their effects including means to minimise odour. the topography, and the meteorology of the area including wind speed and direction. the proximity and nature of nearby activities, and the likely future uses given the zoning of the land. the proximity and nature of any sensitive receptors.	Explanation AQr.40.5 The nature of the discharge is such that the potential adverse effects are limited to amenity type issues including odour. The larger the plant and the greater volume of material it processes, increases both the potential magnitude and frequency of adverse effects occurring. Therefore the maximum permitted level is 250kg per hour. The main protection against adverse effects occurring is the siting of the plant in an appropriate zoned location. Ensuring that any fats and oils being processed are fresh (not rancid) also minimises adverse effects. Rendering processes are well known for potentially bad odours unless appropriately sited and controlled. Such plants
		and processes therefore require consideration by the resource consent process. Discharges from domestic premises are not covered by this rule but remain subject to the nuisance provisions of section 29 of the Health Act 1956, and the general conditions in Rule AQr.22. Note: where a combustion process is involved the relevant rules must be complied with: AQr.27A for small-scale solid fuel; AQr.23 for small-scale gas and liquid fuels; AQr.28 – 31 for large-scale (various fuels). Note: For industrial and trade activities, compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by Appendices AQ9, 10 and 11.

ltem	Permitted	Controlled	Discretionary/Non- complying/ Prohibited
AQr.41	AQr.41.1	AQr.41.2	AQr.41.3
AQr.41 Fumigation	AQr.41.1 The discharge of any contaminant to air from fumigation is permitted if: a) It is undertaken outside the Port Security Area and involves methyl bromide, ethylene dibromide, phosphine, or chloropicrin, and: i) the volume fumigated at any one time does not exceed 34 cubic metres, and ii) the fumigation does not occur within 50 metres of any sensitive receptor, and iii) there are not more than 10 fumigations on the site over any 12 month period, or b) It is undertaken inside the Port Security Area of the Port Nelson and involves methyl bromide, and: ii) the fumigation is within a shipping container and the amount of methyl bromide used does not exceed 3 kg, and ii) the fumigation does not occur within 100 metres of the landward perimeter of the Port Security Area and within 100 metres of any berthed passenger ship occupied by passengers, and iii) the container is opened to ventilate between the hours of 9am to 5pm daylight saving time when that is in force, and otherwise between the hours 10am to 3pm NZST, and iv) a. not more than 1 container is opened to the atmosphere during any one hour period if the fumigation takes place at least 100 metres from the landward perimeter of the Port Security Area and at least 100 metres from any berthed passenger ship occupied by passengers, or b. not more than 4 containers are opened to the atmosphere during any one hour period, if the fumigation takes place at least 200 metres from any berthed passenger ship occupied by passengers, or b. not more than 4 containers are opened to the atmosphere during any one hour period, if the fumigation takes place at least 200 metres from the landward perimeter of the Port Security Area and at least 200 metres from the landward perimeter for the Port Security Area and at least 200 metres from any berthed passenger ship occupied by passengers, and	AQr.41.2 The discharge of methyl bromide to air from fumigation within the Port Security Area of Port Nelson is a controlled activity if: a) the concentration of methyl bromide from all discharges of methyl bromide occurring within the Port Security Area, including the combined discharges from permitted and controlled activities, does not exceed 3.9 mg/m3 (calculated as a one hour average) at any point on or beyond the landward boundary of the Port Security Area, and b) the concentration of methyl bromide from all discharges of methyl bromide occurring within the Port Security Area, and c) the fumigation takes place within a shipping container (other than fumigation within a shipping container pursuant to Rule AQr.41.1), and i) any shipping container used is at least 50 metres inside the landward perimeter of the Port Security Area and further than 50 metres from any berthed passenger ship occupied by passengers, and ii) the methyl bromide in the air space of the fumigated volume is captured and either destroyed or recovered at the end of the fumigation period, and iii) methyl bromide capture from the container operates until the concentration of methyl bromide in the air in the air space of the fumigated volume is captured and either destroyed or recovered at the end of the fumigation period, and iii) at least 12 hours prior to ventilating any container to the atmosphere written notification is given to the container is opened to the atmosphere, and iv) at least 12 hours prior to ventilating any container to the atmosphere written notification is given to the Port Security Office of the amount of methyl bromide to be used in the fumigation, the number of containers to be ventilated, the hours when the fumigation will commence and when opening for ventilation is expected to occur, or d) the fumigation takes place entirely within an enclosed building, and i) the enclosed building is at least 100 metres inside the landward perimeter of the Port Security Area and further than 100 metres from any berthed	complying/ Prohibited AQr.41.3 Any discharge that contravenes a permitted or controlled clause is a restricted discretionary activity. Discretion restricted to i) the type and quantity of furnigant, and ii) the quantity of furnigants, and iii) the frequency of discharge, and iv) the time and location of the furnigation, and v) the containment, dispersal, destruction or recovery of furnigants, and vi) notification of affected parties prior to furnigation, and vii) control of potential adverse effects on human health and ecosystems, and viii) control of odour, gas and dust.

Assessment Criteria

AQr.41.4

- a) the nature of the fumigant.
- b) the potential adverse effects of any discharge of fumigants on public health or on the environment.
- the proximity and nature of nearby activities, and the likely future uses given the zoning of the land.
- d) the proximity and nature of any sensitive receptors.
- e) the potential duration and quantity of fumigant in the adjacent environment.
- f) the persistence and bio-accumulation potential of the discharge.
- g) consideration of alternative means of fumigation, or means of containing, destroying or recovering fumigants.
- h) the potential or actual effects of odour and particulate matter on the receiving environment.
- i) the necessity of the activity to meet national or international trade requirements.
- j) the cumulative effects with other fumigations or potential fumigations.

For controlled activities, as well as a) to j) (as relevant), the following additional matter applies:

 methods to minimise leakage of fumigant, particularly when the gas is introduced, and during fumigation.

Explanation

AQr.41.5

Fumigation is defined in Chapter A2.

The rule provides as a permitted activity for domestic and commercial scale furnigation, provided the furnigation does not involve the more toxic furnigants listed in clause (a) of the permitted column and provided that the use of the furnigant can meet the general conditions in Rule AQr.22.

Limited use of more toxic fumigants such as cyanide, methyl bromide, ethylene dibromide, phosphine and chloropicrin is provided as a permitted activity provided again that it meets certain standards and terms, including complying with the conditions in Rule AQr.22. This is to allow fumigation for emergency or quarantine purposes of shipping containers of goods, on occasion and as needed. If a shipping container is opened and found to contain a pest, it needs to be closed up and fumigated as soon as practicable. Large volumes of fumigant are not involved, and restrictions have been placed on the number of fumigations that can occur over a 12 month period, and on the proximity to residences and other sensitive sites.

Within the Port Security Area of Port Nelson, separate permitted rules apply to fumigation of containers involving up to 3kg of methyl bromide, subject to specific conditions. Containers within the Port Security Area using more than 3kg of methyl bromide must use capture and destruction/recovery of the fumigant. Such use is a controlled activity subject to the standards set out in the rule.

Similarly within the Port Security Area, furnigation with methyl bromide under gas-proof covers using capture and destruction/recovery technology can be a controlled activity, but only if the furnigation occurs within a building, and the standards for the controlled activity rule are met. These standards relate to setback distances, the residual concentration of methyl bromide before the furnigation can be opened to the air, maximum boundary concentrations of methyl bromide, and other matters.

Compliance with AQr.41.2 b) should be demonstrated using dispersion modelling presented as part of any application for resource consents under AQr.41.2. The dispersion modelling must take account of all fumigations that are or are proposed to be carried out in accordance with AQr.41.2 d) (fumigations within buildings), including those permitted by consents already granted. However, fumigations carried out in accordance with AQr.41.2 c) (fumigations in containers with methyl bromide capture) do not need to be included in the modelling, because they have been shown to make negligible contributions to methyl bromide concentrations at the boundary.

Generally, the annual average modelling should spread the total methyl bromide emissions from each emission source over all hours during which emissions may occur from that emission source, taking account of any seasonal or daily operating patterns.

All other fumigation requires a restricted discretionary resource consent: that is, fumigation not meeting the permitted standards, fumigation that does not meet the standards in the controlled rule for use of capture and destruction/recovery technology (including use of capture and destruction/recovery technology outside the Port Security Area), and fumigations occurring outdoors (e.g. of logs) or in ships. Because of the toxicity of the fumigants covered in this rule, and the quantities used (up to half a tonne of methyl bromide for fumigation of export logs), use of these fumigants needs to be considered carefully by the restricted discretionary consent process.

All methyl bromide fumigation subject to discretionary resource consent will need to demonstrate compliance with the (chronic) TEL (tolerable exposure limit) for methyl bromide set in the Hazardous Substances Regulations (refer Environment Court decision C66 /2008).

CONTINUES ON NEXT PAGE....

Item	Permitted	Controlled	Discretionary/Non- complying/ Prohibited
AQr.41 Fumigation continued	c. provided there is no simultaneous opening under a. and b., and v) at least 12 hours prior to ventilating any container to the atmosphere written notification is given to the Port Security Office of the amount of methyl bromide to be used in the fumigation, the number of containers to be ventilated, the hours when the fumigation will commence and when opening for ventilation is expected to occur, and	vi) notwithstanding (v) above the ventilation discharge from the capture system(s) is allowed to discharge directly to the discharge stack or stacks (rather than being re-circulated into the air space of the fumigated volume) if the total rate of discharge to the stack or stacks at any time is less than 2.2 g/sec, and vii) if a period of more than 30 minutes elapses between: a. stopping the capture system and ventilating via the discharge stacks, or b. stopping the capture system and opening a fumigated volume to the atmosphere, or c. stopping ventilating via the discharge stacks and opening a fumigated volume to the atmosphere, then the capture system or ventilation to the discharge stacks shall be operated if necessary until the rate at which methyl bromide is removed from the fumigated volume is reduced below the rate stated in	
	vi) no ventilation occurs at a time when the Port Security Office register indicates an intention to ventilate a furnigation at the same time as proposed, other than furnigation within a shipping container pursuant to Rule AQr.41.2 c) or after removal of the gas-proof sheets from furnigation pursuant to AQr.41.2 d), and vii) a record is kept of the type and quantity of furnigant used each day, the time of furnigation and venting, and where the discharge occurs, to be supplied to Nelson	v) a or b as appropriate, and viii) the spatial average of concentrations of methyl bromide measured 1 metre above floor level within the first hour of fumigation inside the building at not less than eight representative locations, shall not exceed 14 ppm (60 mg/m³), and ix) the concentrations of methyl bromide measured at 1 or more monitoring locations 0.75-1.5 m below the roof ridge line vent in the building shall not exceed 14 ppm (60 mg/m³) at any time, and x) at least 12 hours prior to opening a fumigation volume to the atmosphere or ventilating via discharge stacks written notification must be given to the Port Security Office of the amount of methyl bromide to be used in the fumigation, the hours when the fumigation will commence, and when opening or ventilation is expected to occur. Control reserved over: i) monitoring, ii) keeping of records, iii) duration of consent, iv) review of conditions,	
	City Council on request, and viii) the maximum number of containers fumigated and ventilated during any year in accordance with clause b of this rule, defined by the expression:- (Number of containers fumigated at 100-199 m from the boundary) + (number of containers fumigated at 200 m or more from the boundary divided by 4) must not in total exceed 200, or c) it involves the use of any fumigant other than those listed in a) above. (Note: Compliance with Rule AQr.22 (General Conditions) is also required.)	v) training requirements for operators, vi) the operation of the fumigation process to minimise discharge of methyl bromide to the atmosphere and to control potential adverse effects on human health and ecosystems, vii) methods to minimise leakage of fumigant, viii) the time at which the fumigation, and any discharge including any ventilating to the atmosphere occurs, ix) the circumstances when ventilation of methyl bromide to the discharge stacks may occur, x) the configuration of the building in which the fumigation occurs, including but not limited to the number, dimensions and location of discharge stacks and roof ventilators and the need for and capacity of fans associated with these, xi) the number of fumigations occurring, xii) signage, notices and methods of excluding people. Applications need not be notified, the written approval of affected persons will not be necessary, and notice of applications need not be served on any person.	

Assessment Criteria	Explanation
Assessment Criteria	Most furnigation currently occurs within Port Nelson for operational reasons, and it is recognised that the furnigation is a requirement of national and international trade authorities. Clause i) of the Assessment Criteria includes this as a matter of consideration when processing any resource consent application. The Port Security Area is considered an appropriate location for such mandatory furnigation, provided the location of the furnigation within the Port Security Area is suitable and appropriate conditions can be placed on the resource consent to ensure that there are no adverse effects on residential areas, including berthed passenger ships which are occupied by passengers, and other areas open to public access. The Council undertakes to forward to the Port Nelson Environmental Consultative Committee all monitoring results it receives from furnigation occurring within the Port Industrial Area. Note: where a furnigant is used in an agricultural context (see A2-4 for definition) Rule AQr.56 applies.

Item	Permitted	Controlled	Discretionary/Non- complying/ Prohibited
AQr.42	AQr.42.1	AQr.42.2	AQr.42.3
Heat and water vapour from cooling towers	The discharge of heat and water vapour from cooling towers is permitted if: a) no more than 1MW of heat per hour is dissipated on the site. (Note: Compliance with Rule AQr.22 (General Conditions) is also required.)	Not applicable	Any discharge that contravenes the permitted rule is a discretionary activity.
AQr.43	AQr.43.1	AQr.43.2	AQr.43.3
Metal work processes and metal degreasing	The discharge of any contaminant into air from metal work processes or metal degreasing is permitted if: a) where a total of more than 5 kg of welding rod, solder, solvent or degreaser per working day is used on the site: i) any discharge point is 2 metres above the highest point of the building containing the operation, and ii) the discharge is vertical and unimpeded by any immediately adjacent buildings, and b) for metal degreasing a record is kept of the daily quantity and type of the degreaser used, to be supplied to Nelson City Council on request, and c) no metal coating, or heat treatment (other than for welding, soldering, or shaping) of metals occurs. (Note: Compliance with Rule AQr.22 (General Conditions) is also required.)	Not applicable	Any discharge that contravenes a permitted clause is a discretionary activity.
AQr.44	AQr.44.1	AQr.44.2	AQr.44.2
Petroleum retailing	The discharge of any contaminant into air from petroleum retailing and evaporation emissions of volatile hydrocarbon species is permitted if: a) the general conditions in Rule AQr.22 are met.	Not applicable	Not applicable

Assessment Criteria		Explanation
AQr a) b) c) d) e)	the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated. new options, processes or techniques available to minimise any discharges or their effects. the maintenance and operation of the device to ensure minimal discharges to air. the topography, and the meteorology of the area including wind speed and direction. the potential effect of the discharge on air transport paths where the discharge is greater than 5MW.	AQr.42.5 Small-scale heat and water vapour plumes or steam from cooling towers are generally not considered to have significant adverse environmental effects. Appropriate maintenance of cooling towers will minimise discharges to air. Discharges of more than 5MW have the potential to affect air transport and consideration of this issue is required when assessing discharges on a case by case basis. Note: Compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by Appendices AQ9, 10 and 11.
g)	the likely future uses given the zoning of the land. the proximity and nature of any sensitive receptors.	
AQr a) b) c) d) e)	new options, processes or techniques available to minimise any discharges or their effects. the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated. the topography and the meteorology of the area including wind speed and wind direction. the proximity and nature of nearby activities, and the likely future uses given the zoning of the land. the proximity and nature of any sensitive receptors.	AQr.43.5 The intermittent nature and scale of emissions from small factory sized metal work facilities that are typically operated means that there are unlikely to be adverse environmental effects. Metal degreasing is usually carried out using solvent baths for the purpose of preparing metal surfaces for coating or heat treatment. While the degreasing process is often undertaken in close association with other processes (e.g. coating or heat treatment) it must be considered as a separate discharge activity. At usage of welding rod, solder, solvent or degreaser of more than 5kg per day a discharge flue in not mandatory, but if one is provided it needs to comply with the standard and condition specified. Metal coating or heat treatment needs to be assessed on a case by case basis. Note: Compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by Appendices AQ9, 10 and 11.
AQr a)	:44.4 the matters in Appendices AQ9, 10 and 11 as appropriate.	AQr.44.5 Petroleum retailing generally does not discharge significant levels of contaminants during day to day operations. Due to the flammable nature of the products, and their value, it is in the retailers interest to minimise discharges wherever possible. Note: Rule AQr.22 (General Conditions) relates to odour, noxious and dangerous and other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by Appendices AQ9, 10 and 11.

Item	Permitted	Controlled	Discretionary/Non- complying/ Prohibited
AQr.44A	AQr.44A.1	AQr.44A.2	AQr.44A.3
Emergency venting of gas cylinders	The discharge of any contaminant to air from venting any gas cylinder in an emergency situation is permitted if: a) it is undertaken by emergency services or a person authorised under the Hazardous Substances and New Organisms regulations, and b) the venting is necessary to avoid risk to life or property.	Not applicable	Any discharge that contravenes a permitted clause is a discretionary activity.
AQr.45	AQr.45.1	AQr.45.2	AQr.45.3
Printing and publishing	The discharge of any contaminant to air from printing and publishing processes is permitted if: a) the total amount of solvents discharged on the site does not exceed 5kg per day, and b) any discharge point is 2 metres above the highest point of the building containing the operation, and c) the discharge is vertical and unimpeded by any immediately adjacent buildings. (Note: Compliance with Rule AQr.22 (General Conditions) is also required.)	Not applicable	Any discharge that contravenes a permitted clause is a discretionary activity.
AQr.46	AQr.46.1	AQr.46.2	AQr.46.3
Processing of animal skins	The discharge of any contaminant to air from the processing of animal skins including fellmongery, tanning, and curing of leathers is permitted if: a) the total number of pelts processed on the site is less than 50 per day. (Note: Compliance with Rule AQr.22 (General Conditions) is also required.)		Any discharge that contravenes a permitted clause is a discretionary activity.

Ass	sessment Criteria	Explanation AQr.44A.5	
AQ	r.44A.4		
a)	the reasons for and any likely effects of the departure from the permitted activity standards, terms and clauses. potential or actual adverse effects on the	For safety reasons, gas cylinders often need to be vented if they have suffered damage during a fire or other event. This rule makes such venting a permitted activity. Otherwise such a discharge could be subject to rule AQr.53 and require resource consent (which is not	
b)	surrounding environment.	appropriate or timely enough), or the emergency provisions of section 330 of the Act would have to be used (but retrospective	
c) d)	the proximity and nature of nearby activities. the proximity and nature of any sensitive receptors.	consent then needs to be obtained after the event).	
u)	the proximity and nature of any sensitive receptors.		
AQ	r.45.4	AQr.45.5	
a)	the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated.	The main contaminant discharges usually occur from the printing press and curing ovens. The fumes are normally vented away and	
b)	atmospheric dispersion modelling to determine the ground level concentration of volatile organic compounds.	controls on the extraction systems are designed to maximise dispersal. Contaminant control equipment such as after-burners can minimise discharges. Within the permitted rule a discharge flue in not mandatory, but if one is provided it needs to comply with the	
c)	new options, processes or techniques available to minimise any discharges or their effects including odour and particulate removal.	standard and condition specified. The potential magnitude and frequency of adverse effects increases	
d)	the total amount of the discharge and the time period over which the discharge occurs.	when plants are larger. A maximum output of 5kg per day of solvent is specified before the potential effects are considered to be large enough to be considered on a case by case basis.	
e)	the topography and the meteorology of the area including wind speed and direction.	Note: Compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and other effects.	
f)	the proximity and nature of nearby activities, and the likely future uses given the zoning of the land.	In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by Appendices AQ9, 10 and	
g)	the proximity and nature of any sensitive receptors.	11.	
40		AO-40.5	
a)	r.46.4 the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated.	AQr.46.5 The slaughtering and skinning of animals is <u>not</u> covered by this rule and is a discretionary activity.	
b)	new options, processes or techniques available to minimise any discharges or their effects including means to minimise odour.	The main protection against adverse effects occurring is siting the plant in an appropriate zoned location. The potential magnitude and frequency of adverse effects increases when plants are larger or	
c)	the topography, and the meteorology of the area including wind speed and direction.	when processing capacity increases. A maximum of fifty pelts per day is considered a level where adverse effects are likely to be	
d)	the proximity and nature of nearby activities, and the likely future uses given the zoning of the land.	minor. Note: Compliance with Rule AQr.22 General Conditions is	
e)	the proximity and nature of any sensitive receptors.	also required which relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by Appendices AQ9, 10 and 11.	

Item	Permitted	Controlled	Discretionary/Non- complying/ Prohibited
AQr.47	AQr.47.1	AQr.47.2	AQr.47.3
Production of concrete and concrete products	The discharge of any contaminant to air from the production of concrete or concrete products is permitted if: a) no mixing of concrete occurs on the site, or b) less than 5 cubic metres of mixed liquid concrete is produced on the site per day, or c) more than 5 cubic metres of mixed liquid concrete is produced on the site and the concrete mixing plant at the time of establishment is not located within 50 metres of any sensitive receptor. (Note: Compliance with Rule AQr.22 (General Conditions) is also required.)	Not applicable	Any discharge that contravenes a permitted clause is a discretionary activity.
AQr.48	AQr.48.1	AQr.48.2	AQr.48.3
Production of fibre-glass and other composite material products	The discharge of any contaminant to air from the production of fibre-glass and other composite material products is permitted if: a) the fibre-glassing is undertaken inside a booth equipped with filtration, extraction and dispersion mechanisms to ensure 95% particulate removal, and b) any discharge point is 2 metres above the highest point of the building containing the operation, and c) the discharge is vertical and unimpeded by any immediately adjacent buildings, and d) the total amount of fibreglass and resin used on the site does not exceed 50kg per hour. (Note: Compliance with Rule AQr.22 (General Conditions) is also required.)	Not applicable	Any discharge that contravenes a permitted clause is a discretionary activity.

Ass	sessment Criteria	Explanation
AQr.47.4		AQr.47.5
a) b) c) d) e)	the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated. new options, processes or techniques available to minimise any discharges or their effects including dust. the total amount of the discharge and the time period over which the discharge occurs. the proximity and nature of nearby activities. and the likely future uses given the zoning of the land. the proximity and nature of any sensitive receptors.	This rule relates to the production of concrete products for commercial use and includes tiles, pots and similar type structures. It does not include the process of laying concrete which is permitted under section 15(2) of the Resource Management Act. The main adverse effect of the discharge will be short-term nuisance dust deposition on buildings and properties. The main protection against adverse effects occurring is the siting of the plant in an appropriate zoned location. In order to minimise nuisance effects any new concrete product factory is required to be 50 metres away from sensitive receptors. Note: Compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by Appendices AQ9, 10 and 11.
AQ	r.48.4	AQr.48.5
a) b)	the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated. options, processes or techniques available to	The primary contaminants discharged from fibreglassing are particles from sanding and cutting, and styrene. Effective filtration equipment can minimise particle emissions.
5)	minimise any discharges or their effects including odour and particulate removal.	The potential magnitude and frequency of adverse effects increases when plants are larger. A maximum output of 50kg per hour is
c)	the maintenance and cleaning of the operation to ensure minimal adverse effects from odour.	specified before the potential effects are thought to be large enough to be considered on a case by case basis.
d)	the total amount of the discharge and the time period over which the discharge occurs.	Note: Compliance with Rule AQr.22 General Conditions is also
e)	the topography, and the meteorology of the area including wind speed and direction.	required which relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by Appendices AQ9, 10 and
f)	the proximity and nature of nearby activities, and the likely future uses given the zoning of the land.	11.
g)	the proximity and nature of any sensitive receptors.	

Item	Permitted	Controlled	Discretionary/Non-complying/ Prohibited
AQr.49	AQr.49.1	AQr.49.2	AQr.49.3
Production of plastic components and plastic moulding	The discharge of any contaminant to air from the production of plastic components and plastic moulding operations is permitted if: a) the total amount of plastics moulded on the site is less than 500 kg per hour, and b) the total mass of organic material discharged from the site is less than 5 kg per day, and c) emissions are discharged at a point 2 metres above the highest point of the building containing the operation, and d) the discharge is vertical and	Not applicable	Any discharge that contravenes a permitted clause is a discretionary activity.
	unimpeded by any immediately adjacent buildings. (Note: Compliance with Rule AQr.22 (General Conditions) is also required.)		
AQr.50	AQr.50.1	AQr.50.2	AQr.50.3
Seed cleaning	The discharge of any contaminant into air from seed cleaning is permitted if: a) the seed cleaning operating is contained within a building, and b) any seed cleaning operation at the time of establishment is not located within 100 metres of any sensitive receptor, or organic farm. (Note: Compliance with Rule AQr.22 (General Conditions) is also required.)	Not applicable	Any discharge that contravenes a permitted clause is a discretionary activity.

Ass	sessment Criteria	Explanation
AQ a) b) c) d) e) f)	the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated. new options, processes or techniques available to minimise any discharges or their effects. the total amount of the discharge. the time period over which the discharge occurs. the proximity and nature of nearby activities, and the likely future uses given the zoning of the land. the proximity and nature of any sensitive receptors.	AQr.49.5 This rule covers the production and moulding of plastic products for commercial use. It does not cover the production of the plastic raw material. A resource consent is required for this activity. The potential magnitude and frequency of adverse effects increases when plants are larger. Larger plants need resource consent in order that any adverse effects can be considered on a case by case basis. Note: Compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by Appendices AQ9, 10 and 11.
 AQr.50.4 a) the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated. b) the options, processes and techniques available to minimise any discharge or its effects including filter systems, extraction ducts and collection bins. c) the maintenance and cleaning of the operation to ensure minimal dust build up. d) the proximity and nature of nearby activities, and the likely future uses given the zoning of the land. e) the proximity and nature of any sensitive receptors. 		AQr.50.5 The main adverse effect of the discharge is short-term nuisance dust deposition on buildings and properties. This type of discharge does not normally pose a significant risk to human health as the particles are not readily inhaled. Separation distances for any new seed cleaning activity are to minimise any adverse effects. Note: Compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by Appendices AQ9, 10 and 11.

Item	Permitted	Controlled	Discretionary/Non- complying/ Prohibited
AQr.51	AQr.51.1	AQr.51.2	AQr.51.3
AQr.51 Spray coating (including paint)	AQr.51.1 The discharge of any contaminant to air from the application of coating materials (including paint and powders) via spray application is permitted if: a) coatings that contain disocyanate are not used, and b) the total amount of coating material sprayed at one place does not exceed 10 litres per hour except in the case of roads, sports grounds or transmission towers, and c) spray coating carried out on industrial or trade premises operated for the purpose of spray coating is undertaken inside a spray booth, where i) particulate filtration systems are operated and maintained to ensure 95% particulate removal, and ii) any discharge point is 2 metres above the highest point of the building containing the coating material booth, and iii) the discharge is vertical and unimpeded by any immediately adjacent buildings. (Note: Compliance with Rule AQr.22 (General Conditions) is also required.)	AQr.51.2 The discharge of any contaminant to air from the application of coating materials (including paints and powders) via spray application that contravenes permitted clause b) is controlled if: a) the item to be spray coated is a building, bridge, pipeline or other fixed structure, and b) coatings that contain disocyanate are not used. Control reserved over: i) duration and timing of the activity, and ii) the rate of application of spray coating materials, and iii) methods to avoid or mitigate the drift of spray coating materials beyond the site of the discharge, or for network utilities (including buildings) beyond the object being spray coated, and iv) notification of Council and potentially affected parties prior to spray coating commencing, and v) compliance and complaint reporting.	AQr.51.3 Any discharge that contravenes a permitted clause (except clause b)) or a controlled clause is a discretionary activity.

Assessment Criteria	Explanation
AQr.51.4	AQr.51.5
a) the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated.	This rule covers a range of spray painting activities including application of coating materials within a booth as well as non-
b) the type of coating material and the time period in which it will be used.	industrial spray painting including painting houses and marking sports grounds.
c) new options, processes or techniques available to minimise any discharges or their effects.	Small-scale spray coating is permitted provided the conditions of the rule are met. The potential magnitude and frequency of
d) whether the contaminants are discharged via a filter and a stack designed to maximise air flow.	adverse effects increases when plants and/or operations are larger. A maximum of 10 litres of coating material per hour is allowed. Due to the potential adverse environmental effects,
e) means to minimise any drift of coating material.f) the proximity and nature of nearby activities, and	the use of di-isocyantes coatings is not permitted and needs to be considered by a resource consent application.
f) the proximity and nature of nearby activities, and the likely future uses given the zoning of the land. g) the proximity and nature of any sensitive receptors	Permitted clause b) enables spray coating to occur at 10 litres

Item	Permitted	Controlled	Discretionary/Non-complying/ Prohibited
AQr.52	AQr.52.1	AQr.52.2	AQr.52.3
AQr.52 Wood processing : wood particles and dust	AQr.52.1 The discharge of any dust to air from wood processing as part of any industrial or trade process or premises is permitted if: a) any part of the facility involving the production, conveying or storing of wood dust, sawdust or shavings in excess of 20 cubic metres per day, is not located at the time of establishment, within 50 metres of any sensitive receptor, and b) any open areas where logs or timber are received or stored are maintained to minimise the creation of dust and minimise its dispersal beyond the site. (Note: Compliance with Rule AQr.22	Not applicable	
	(Note: Compliance with Rule AQr.22 (General Conditions) is also required.)		

Assessment Criteria		Explanation	
	 AQr.52.4 a) the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated. b) new options, processes or techniques available to minimise any discharges or their effects including filter systems. c) the maintenance and cleaning of the operation to ensure minimal dust build up. d) the total amount of the discharge and the time period over which the discharge occurs. e) the topography, and the meteorology of the area including wind speed and direction. 	AQr.52.5 Waste wood is created during the sawing, planing and sanding of wood. The woodworking processes produce a wide size range of waste wood from large shavings to fine dust. This rule deals with the mechanical processes which are used to convert timber into products and with the conveyance and storage of waste wood. It does not deal with the production of building materials such as plywood, particle board, wafer board, or medium density fibre board. The main potential adverse effect of the discharge is short-term nuisance dust deposition on buildings and properties. Good housekeeping measures, including regular emptying of collection bins and cleaning of surfaces where dust may accumulate, can prevent windblown dust leaving the site.	
g)	likely future uses given the zoning of the land. the proximity and nature of any sensitive receptors.	A setback is required from 'sensitive receptors' such as residences, schools etc (see definition in Chapter A2) when certain levels of wood waste are involved. Beyond a maximum level of production of 2 tonnes per hour, the potential effects are thought to be large enough to need to be considered on a case by case basis. Note: Compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by Appendices AQ9, 10 and 11.	

Item	Permitted	Controlled	Discretionary/Non- complying/ Prohibited
AQr.52A Wood processing: other discharges	AQr.52A.1 The discharge of any contaminant to air from wood processing (except dust) in any industrial or trade process is permitted if: a) wood is treated by chemicals for preservation, or b) wood is dried at ambient air temperature, or c) wood is heated for international quarantine purposes, and d) no wood is heated in a kiln for the purpose of drying. (Note: Compliance with Rule AQr.22 (General Conditions) is also required.)	AQr.52A.2 The discharge of any contaminant to air from wood processing in any industrial or trade premise that contravenes permitted clause d) is controlled if: a) no wood containing chemical preservatives is dried, and b) no kiln is located, at the time of establishment, within 50 metres of a sensitive receptor. Control reserved over: i) the volume of wood to be dried at any one time, and ii) the temperature of the kilns, and iii) the location of discharge points.	AQr.52A.3 The discharge of any contaminant to air from wood processing that contravenes permitted clauses a) – c) or a controlled clause is a discretionary activity.

As	sessment Criteria	Explanation
AC	r.52A.4	AQr.52A.5
a) b)	the type and characteristics of contaminants discharged. the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated	This rule covers other discharges that may arise from wood processing that are not covered by rule AQr.52 'Wood particles and dust'. Processes covered by this rule include emissions of contaminants from timber treatment processes, air drying of green or treated timber, heating timber for quarantine purposes and kiln drying.
c) d) e) f)	remedied or mitigated. new options, processes or techniques available to minimise any discharges or their effects. the total amount of the discharge and the time period over which the discharge occurs. the topography, and the meteorology of the area including wind speed and direction. the proximity and nature of nearby activities, and the likely future uses given the zoning of the land. the proximity and nature of any sensitive receptors.	The potential effects of fugitive emissions from timber treatment processes, air drying of green or treated timber and heating timber for quarantine purposes are considered to have low potential to affect air quality beyond the boundary of wood processing sites, and are therefore permitted. Kiln drying of wood can result in discharges of volatile organic compounds, which depending on the size and number of kilns on a site may give rise to adverse effects. It is considered that the critical factors for mitigating any potential effects beyond the boundary of wood processing sites are: the volume of timber being kiln dried at one time, the temperature of the kiln and the point of discharge. These are matters over which Council has retained control, and are considered sufficient to ensure any effects are mitigated or avoided. Kiln drying of treated wood may result in the discharge of a variety of compounds. Due to the potential effects of volatilisation of some timber treatments (such as chromated-copper-arsenic), kiln drying of treated wood is not permitted and needs to be considered as a discretionary activity.

Item	Permitted	Controlled	Discretionary/Non-complying/ Prohibited
AQr.53	AQr.53.1	AQr.53.2	AQr.53.3
All other discharges from industrial or trade premises	The discharge of any contaminant to air from any industrial or trade premises or industrial or trade process	Not applicable	Any discharge from an industrial or trade premise or process that contravenes the permitted rule is a discretionary activity.
or processes not	unless otherwise specified by		Advice note:
in this rule table	this Plan is <u>not</u> a permitted activity.		Those discharges to air that require resource consent under this rule include, but are not limited to, discharges to air from the following activities:
			Acid production and use
			Adhesive manufacture
			Agricultural chemical manufacture
			Anodising, galvanising and electroplating Asphalt production Brickworks
			Burning of landfills and municipal waste
			Burning of medical waste, pathological waste, quarantine waste and animal waste, including but not limited to, dried animal faeces
			Burning of process wastes, including but not limited to vegetative wastes, husks, and fines, and process off-cuts
			Burning off of brake shoes
			Crematoria
			Dag Crushing
			Enamelling
			Flour milling
			Foam manufacture
			Glass manufacture
			Hydrocarbon manufacture, refining or purification, including oil refining
			Laminating using adhesives and resins
			Metal melting, including foundries and smelters
			Milk treatment and drying
			Paint manufacture
			Paper manufacture
			Particle board and plaster board production Pharmaceutical product manufacture
			Radioactive materials production or usage
			Rubber manufacture
			Stock food production
			Slaughter and skinning of animals
			Tyre buffing
			Wool scouring Waste management processes including
			waste management processes including wastewater and landfills operations (excludes individual domestic treatment systems).
			The above list is not all inclusive. It is likely that
			there will be other discharges to air from industrial and trade premises, not listed, that require
			resource consent.

 AQr.53.4 a) the extent to which adverse effects on sensitive receptors are avoided, remedied or mitigated. b) atmospheric dispersion modelling to determine the ground level concentration of contaminants. c) new options, processes or techniques available to minimise any discharges or their effects. d) the total amount of the discharge and the time period over which the discharge occurs. e) the topography and the meteorology of the area including wind speed and direction. f) the proximity and nature of nearby activities, and the likely future uses given the zoning of the land. g) the proximity and nature of any sensitive receptors. AQr.53.5 Significant adverse effects tend to be caused by activities which have one or more of the following: Relatively large quantities of contaminants Problematic control of contaminants (activities have been observed to generate frequent complaints e.g. rendering plants). If a trade or industrial premise or process generates a contaminant that is not specified in any other rule in this Plan and either: a) intentionally discharges the contaminant to air via a stack, chimney, vent or other specific point, and c) the contaminant causes or is likely to cause any effect identified in rule AQr.22,
then resource consent will be required under this rule. Fugitive emissions from buildings, structures or open spaces that either do not cause any effect, or are not likely to cause any effect identified in rule ACr.22 will be considered to be insignificant and not require resource consent. Note: Compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by Appendices AQ9, 10 and 11.

Item	Permitted	Controlled	Discretionary/Non-complying/ Prohibited
AQr.53A	AQr.53A.1	AQr.53A.2	AQr.53A.3
Water and abrasive blasting	The discharge of any contaminant to air from abrasive blasting is not permitted, and the discharge of any contaminant to air from water blasting is permitted if: a) no surface coating containing lead is blasted. (Note: Any subsequent discharge of contaminants to the Coastal Marine Area or fresh water is regulated by the Nelson Resource Management Plan. Compliance with Rule AQr.22 (General Conditions) is also required.)	The discharge of any contaminant to air from abrasive blasting that contravenes the permitted rule is controlled if: a) the item to be blasted is a building, bridge, pipeline or other fixed structure, and i) no surface coating containing lead is blasted, or b) abrasive blasting is undertaken in an enclosed booth, and i) at the time of establishment, is not located within 50 metres of any sensitive receptor. Control reserved over: i) duration and timing of the activity, and ii) location of the point of discharge, and iii) methods of removing coatings, and iv) methods to avoid remedy or mitigate any adverse effects beyond the site of the discharge, or for network utilities (including buildings) beyond the object being blasted, and v) methods to avoid remedy or mitigate any adverse effects from the subsequent deposition of dust or particulates onto land or into water, and vi) maintenance of any emission control equipment or air extraction systems (enclosed booths only), and vii) notification of Council and potentially affected parties prior to abrasive blasting commencing, and viii) compliance and complaint reporting.	The discharge of any contaminant into air from: a) water blasting that contravenes permitted clause a), or b) abrasive blasting that contravenes controlled clauses a) or b), is a Restricted Discretionary Activity. Discretion restricted to: i) duration and timing of the activity, and ii) location of the activity and distance from sensitive receptors, and iii) location of the point of discharge, and iv) methods of removing coatings, and v) methods to avoid, remedy or mitigate any adverse effects beyond the site of the discharge, or for network utilities (including buildings) beyond the object being blasted, and vi) methods to avoid remedy or mitigate any adverse effects from the subsequent deposition of dust or particulates onto land or into water, and vii) maintenance of any emission control equipment or air extraction systems (enclosed booths only), and viii) notification of Council and potentially affected parties prior to abrasive blasting commencing, and ix) compliance and complaint reporting.

Assessment Criteria Explanation AQr.53A.4 AQr.53A.5 a) the extent to which adverse effects are This rule covers water blasting and abrasive blasting. Water blasting is permitted provided coatings containing avoided, remedied or mitigated. lead (such as lead based paint) are not blasted. processes or techniques available to minimise any discharges or Abrasive blasting is used for maintenance and repair of their effects including dust control and wide range of items, and can result in the discharge of particulate removal. dust and particulate from the grit used in the blasting process and the surface coatings being blasted. c) the maintenance and cleaning of the Abrasive blasting of items in an enclosed booth or of operation to ensure minimal adverse effects from particulates and dust. fixed structures are controlled activities. For booths, resource consent is required to ensure that appropriate d) the total amount of the discharge and the emission control technology is used and maintained. time period over which the discharge Abrasive blasting of fixed structures is controlled as occurs. some items (such as bridges) require occasional e) the topography, and the meteorology of blasting for maintenance purposes. It is not anticipated the area including wind speed and that fixed structures would be blasted frequently. It is direction. also considered that appropriate controls can be put in the proximity and nature of nearby place to prevent the discharge of contaminants off-site activities, and the likely future uses given or into water or onto land. the zoning of the land. Abrasive blasting of mobile items in the open is a g) the proximity and nature of any sensitive restricted discretionary activity, and may or may not be receptors. appropriate taking into account the items listed in AQr.53A.4. A region wide consent may be issued for abrasive blasting activities undertaken in different areas and/or to individual operators that have a good previous history of operation.

Outdoor burning – url	oan and rural		
Item	Permitted	Controlled	Discretionary/Non-complying/ Prohibited
AQr.54	AQr.54.1	AQr.54.2	AQr.54.3
Outdoor burning (Urban Area & Higher Density Small Holdings Area (Rural Zone))	The discharge to air of any contaminant from outdoor burning, including in any incinerator, within the Urban Area, or the Higher Density Small Holdings Area in the Rural Zone, is permitted if: a) it is from fireworks, a brazier, food cooking in a hangi or barbecue, ahi kaa within a papakainga area, or small fire used for a traditional craft purpose, or a candle, lamp, paint stripper or similar small-scale burner or tool, and b) for braziers and small fires used for traditional craft purposes burning solid fuel, no burning occurs during the months of May to August inclusive, and c) for braziers burning solid fuel, the device does not have a volume, including any chimney, greater than 80 litres, and d) no clippings, prunings, leaves or other garden waste and no household waste is burnt, and e) no materials in Rule AQr.20 (Prohibited Activities) are burnt, and f) for small fires, the fire covers an area of no more than 0.25 metres square. (Note: Compliance with Rule AQr.22 (General Conditions) is also required.)	Not applicable	Any discharge that contravenes a permitted clause is a restricted discretionary activity if: a) within the Urban Area the discharge occurs on a site 2 hectares or greater in area that is not zoned Rural in the Nelson Resource Management Plan, and it does not occur in the months May to August inclusive, or b) within the Urban Area, the discharge occurs on a site 1 hectare or greater in area on land zoned Rural in the Nelson Resource Management Plan, and it does not occur in the months May to August inclusive except in the Higher Density Small Holdings Area, and c) there is no burning of materials listed in Rule AQr.20 (Prohibited Activities). Discretion restricted to: i) the volume and nature of the material to be burnt, and ii) the way the combustion material is arranged, or any equipment it is to be burnt in, and iii) the day, time and duration of the burn, and v) clauses to minimise smoke nuisance and fire risk. Any discharge that contravenes a clause for a restricted discretionary activity is prohibited.

Assessment Criteria		Explanation		
AC)r.54.4	AQr.54.5		
	what provisions are made regarding design, practice or operation to avoid, remedy or mitigate adverse effects. the degree to which the activity is able to take place in accordance	Within the Urban Area outdoor rubbish fires, including incinerators, are prohibited on typical urban residential sections. An exception is provided on urban sites 2 ha or larger. In that case it is possible to apply for a resource consent to burn, but <u>not</u> during the winter months when ambient PM ₁₀ levels can be particularly elevated. Such applications will be considered on their merits, and will not necessarily be granted. Key factors in considering any application will be nuisance effects, effects on ambient concentrations of PM ₁₀ , and consistency with the Council's broader		
	with relevant good practice guidelines.	target to reduce PM ₁₀ levels.		
c)	the timing, and likely duration of the burn.	There are three main reasons for the prohibition on outdoor burning within urban sites smaller than 2ha:		
d)	the impact of the discharge on local air quality, including any nuisance or other effects.	 the nuisance effects of smoke, odour and hazardous contaminants on neighbours. With current section sizes and environmental expectations, it is not practicable for the practice of outdoor burning to continue without adverse effects on others. 		
e)	the time of the year of the proposed burn, and its impact on ambient air quality.	 ii. outdoor burning, were it to continue, would make a small but significant contribution to winter PM₁₀ peaks. Eliminating this estimated 4% contribution to winter peaks is a critical part of the overall strategy of reaching the ambient 		
f)	the proximity and nature of nearby activities.	PM₁0 target of 50ug/m3.		
g)	the proximity and nature of any sensitive receptors.	 outdoor burning, even outside the winter months, is also a significant contributor to annual exposures of people to PM₁₀. Total exposure to PM₁₀, not just winter peaks, contributes to adverse health effects. 		
h)	topography and prevailing wind clauses.	In the Higher Density Small Holdings Area, similar rules apply. This area is around Ralphine Way, in the Maitai Valley, near Waahi Taakaro. Section sizes are much		
i)	any precedent effects of allowing the discharge, having regard to the possible impact on wider public cooperation in supporting the Council's clean air target and strategies.	smaller than elsewhere in the Rural Zone, with a minimum allowable size of 5000sq metres. Because of the potential density of residences, outdoor fires are banned. An exemption by resource consent is provided where the site is much larger. The minimum site size of 1 ha for this exemption is smaller than within the Urban Area, as the lower density of settlement in the Small Holdings Area means there are potentially fewer neighbours who may be adversely affected. There is no wintertime		
j)	the practicality and environmental impacts of alternative means of	restriction since there is no evidence of elevated wintertime PM ₁₀ levels in that part of the Maitai Valley.		
k)	disposing of the waste. the potential or actual effects of odour and particulate matter on	Some of the Urban Area is still used for production purposes (such as berry fruit) and is zoned Rural. The rule also provides for exemption for such sites by resource consent provided they are 1 hectare or larger.		
l)	the receiving environment. the provisions of any relevant national standards or guidelines.	In all instances the permitted rule provides for a wide range of discharges which have only minor effects. This allows use of combustion sources such as fireworks, candles, lamps, paint strippers and other small-scale devices used around the home and businesses.		
		Exemptions are provided for use of braziers (except in winter) and barbecues and for hangi and ahi kaa, for cultural purposes. The use of small fires for traditional craft purposes is also provided for (except in winter), and is considered to include activities such as outdoor education training and traditional pottery firing. People undertaking such activities must take extreme care not to cause smoke problems, as the conditions of AQr.22 still apply. The definition of a brazier is important (see Chapter A2 'Meaning of Words') and it must not be used as a 'de facto incinerator'.		
		Note: Compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by Appendices AQ9, 10 and 11.		

Item	Permitted	Controlled	Discretionary/Non- complying/ Prohibited
AQr.55	AQr.55.1	AQr.55.2	AQr.55.3
Outdoor burning Rural	The discharge of any contaminant to air from outdoor burning, including burning in an incinerator, is permitted if after 1 December 2005: a) it is in the Rural Zone (excluding the Higher Density Small Holdings Area), or b) it is in the Rural Zone and is within the Semi-Rural Boundary (shown by Figure A2.1), and c) it is not in the Conservation Zone, or the Urban Area, and d) where the discharge under a) is from burning more than 2 cubic metres of material, it does not occur within 100 metres upwind, or 50 metres in any other direction, of any residential unit that is not located on the site where the burning occurs, and e) where the discharge is under b), it does not result from burning more than 2 cubic metres of material, unless the presence of a disease on a horticultural crop requires plant waste to be burnt in greater volume to manage the risk of disease spread, and f) there is no burning of municipal, industrial or trade waste, nor of any material not generated on the site, and g) there is no burning of any material listed in rule AQr.20 (ii) — (xii) (Prohibited Activities.) (Note: Compliance with Rule AQr.22 (General Conditions) is also required)	The discharge of any contaminant to air in the Rural Zone after 1 December 2005 within the Semi-Rural Boundary that cannot comply with permitted clause (e) is a controlled activity if: a) the burning is not associated with the subdivision of land, and b) there is no burning between May to August inclusive. Control reserved over: i) timing of the discharge, and ii) the location of the burn and distance from sensitive receptors, and iii) the duration of burns, and iv) the volume and nature of material to be burnt, and v) minimising smoke nuisance and fire risk.	Any discharge after 1 December 2005 that: a) contravenes a permitted clause, except clause (g), is a discretionary activity, or b) contravenes permitted clause (g) is a prohibited activity except the burning of wood which is painted, stained or oiled, which is a discretionary activity, or the discharge after 1 December 2010 of any contaminant to air from the outdoor burning of high density polyethylene (HDPE) agricultural wrap or HDPE agricultural containers within the Rural Zone (excluding the High Density Small Holdings Area), which is a discretionary activity, or c) contravenes controlled clauses (a) or (b) is a discretionary activity.

Assessment Criteria		Explanation
AQ	r.55.4	AQr.55.5
a)	provisions made in design or the intended operation to avoid, remedy or mitigate adverse effects.	The Rural Zone and the 'Urban Area' are defined in Chapter A2. Figure A2.1 shows the extent of the Urban Area and Semi Rural Boundary.
b)	the degree to which the activity is able to take place in accordance with relevant good practice guidelines. In particular the Guide to Outdoor Burning, in Appendix AQ8.	Rural burning for pest control, crop management, or waste management purposes is generally allowed by the rule, with some restrictions on burning within the 'Semi-Rural boundary' and burning large volumes of material near houses. This is to control nuisance
c)	the proximity and nature of nearby activities.	effects of smoke, and the semi-rural controls are to prevent rural
d)	the proximity and nature of any sensitive receptors.	smoke drifting into the city during winter and contributing to the existing ambient wintertime PM ₁₀ problem.
e)	the nature of the materials to be burnt, including its dryness.	Burning of small volumes of material (2 cubic metres – the approximate volume of a car trailer load of material) is permitted in all
f)	the degree to which any adverse effects can be minimised or avoided by controlling the timing and duration of the burn.	rural areas. This is considered a practical amount, unlikely to cause nuisance effects.
a)	topography and prevailing wind conditions.	Burning that does not comply with the permitted conditions requires
g) h)	the potential for the discharge to contribute to	resource consent, and will be evaluated in terms of the assessment criteria.
11)	elevated levels of PM ₁₀ in the Urban Area.	Burning of prohibited materials as specified in Rule AQr.20 is
i)	the environmental impacts of alternative means of disposing of the waste.	not allowed. Provision is made for a consent application to be made for the burning of HDPE agricultural plastic wrap and
j)	the potential or actual effects of odour and particulate matter on the receiving environment.	containers. Such applications will be considered on their merits, including the likely adverse effects of the proposed burning and why the waste is not being recycled.
k)	for agricultural plastics, the potential for discharge of	Note: This rule only applies to discharges after 1 December 2005.
	toxic contaminants and why the waste is not being recycled, or disposed of in some other, environmentally sound, way.	Compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and other effects. In terms of
1)	for agricultural plastics, where alternative methods	compliance and enforcement of this rule, Council staff will be
,	of disposal or recycling are not available, the best practice for burning such waste, including the AGCARM incinerator specifications and good practice guidelines.	guided as appropriate by Appendices AQ9, 10 and 11. Appendix AQ8 provides guidance on minimising smoke emissions from outdoor burning.

Agrichemicals	ichemicals			
Item	Permitted	Controlled	Discretionary/Non-complying/ Prohibited	
AQr.56	AQr.56.1	AQr.56.2	AQr.56.3	
Agrichemicals	The discharge of agrichemicals to air or land is permitted if after 1 December 2005: a) it complies with all the standards, terms or clauses in Appendix AQ7 (Discharge of agrichemicals), and	The discharge of agrichemicals to air or land that contravenes clauses e) or f) in Appendix AQ7 is controlled if it complies with clauses a) to d) in Appendix AQ7.	Any discharge after 1 December 2005 that contravenes clauses a) to d) in Appendix AQ7 is a restricted discretionary activity, if it is not within the Coastal Marine Area.	
	 b) the discharge is not in the Coastal Marine Area, and c) other than for small-scale application, it complies with the mandatory requirements of NZS8409:2004 Management of Agrichemicals. (Note: Compliance with Rule AQr.22 (General Conditions) is also required.) 	i) provision of spray plans, and ii) notification of potentially affected parties, and iii) method of application, and iv) type of agrichemical applied, and v) methods to avoid agrichemical drift onto adjoining properties, and vi) methods to remedy or mitigate effects of agrichemical drift onto adjoining properties, and vii) record keeping.	Discretion restricted to i) methods to protect sensitive receptors, or organic farms, and ii) the type of agrichemical used for particular activities.	

Assessment Criteria		Explanation
AQr.56.4		AQr.56.5
a)	the reasons for and any likely effects of the departure from the permitted activity standards, terms and clauses.	For all but small-scale application, this rule requires compliance with the mandatory requirements of New Zealand Standard 8409:2004 Management of Agrichemicals and Nelson City Council
b)	whether the discharge is to be undertaken in accordance with current good practice (such as the Good Practice Agrichemical Spray Management Guidelines).	requirements set out in AQ7. Resource consent may be required in some instances when spraying in areas of open public access.
c)	potential or actual adverse effects on the surrounding environment.	Note that this rule applies to discharges of agrichemicals to land and air. Discharges to water are addressed by the freshwater rules in the Nelson Resource Management Plan.
d)	the proximity and nature of nearby activities.	
e)	the proximity and nature of any sensitive receptors.	Discharges in the Coastal Marine Area are not permitted and are controlled in the Nelson Resource Management Plan, rule CMr.47.
		'Small-scale application' is defined in Chapter 2, A2-73B.
		Note: This rule only applies to discharges after 1 December 2005.
		Compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by Appendices AQ9, 10 and 11.

Other						
Item	Permitted	Controlled	Discretionary/Non-complying/ Prohibited			
AQr.57	AQr.57.1	AQr.57.2	AQr.57.3			
Intensive livestock commercial farming	The discharge of any contaminant to air from intensive commercial livestock farming is not a permitted activity.	Not applicable	Any discharge that contravenes a permitted clause is a discretionary activity in the Rural Zone, (excluding the Higher Density Small Holdings Area), and a non complying activity in all other zones, and in the Higher Density Small Holdings Area.			
AQr.58	AQr.58.1	AQr.58.2	AQr.58.3			
Fire training activities	The discharge of any contaminant to air as a result of fire training activities is permitted if: a) the discharge takes place under the control of a fire authority in terms of the Forest and Rural Fires Act 1977, a fire brigade established under the Fire Service Act 1975, or an Airport Authority fire service, or a nationally recognised training provider, and b) the Council is notified at least 2 working days prior to the activity commencing, and c) there is no burning of materials prohibited by rule AQr.20 except if the discharge takes place under the control of a fire brigade established under the Fire Service Act 1975.	Not applicable	Any discharge that contravenes a permitted clause is a restricted discretionary activity. Discretion restricted to: i) the materials burnt or used in the fire training activity, and ii) the location of the activity, and iii) the time and duration of the activity, including the time of year, and iv) the meteorological clauses under which the activity may occur, and v) prior notice to Council, and vi) control of dust, odour and other contaminants. The application need not be notified, the written approval of affected persons will not be necessary and notice of applications need not be served on any person.			

Assessment Criteria **Explanation** AQr.57.5 AQr.57.4 a) the degree of compliance with any relevant standard Intensive commercial livestock farming is generally only or industry code of practice (such as the Pork appropriate for consideration in the Rural Zone, excluding the Industry Code of Practice). Higher Density Small Holdings Area. Each proposal has to be considered on a case by case basis, having regard to the likely b) the volume and type of materials and products on effects of the activity and how these effects can be avoided, remedied or mitigated. the extent to which any effects may be mitigated or Intensive livestock commercial farming in all other zones is exacerbated by climatic clauses, geographical and generally considered inappropriate and as such is a non-complying meteorological influences, or by management activity. The main reason for this is the potential adverse effects techniques. caused by odour and discharge of effluent. the proximity and nature of nearby activities. This rule refers only to livestock farming. Other forms of intensive the proximity and nature of any sensitive receptors. commercial farming, such as mushroom farming with its attendant the timing of the proposed discharge, the topography composting requirements is covered in AQr.37 (Composting). and prevailing wind clauses. Refer to the Nelson Resource Management Plan (RUr.20) for land intended treatment process for animal waste. use rules regarding intensive commercial livestock farming in the the potential or actual effects of odour on the Rural Zone. receiving environment. Note: Compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and other any mitigation measures that ensure that odour is not effects. In terms of compliance and enforcement of this rule, detectable at or beyond the boundary of a property. Council staff will be guided as appropriate by Appendices AQ9. 10 and 11. AQr.58.5 AQr.58.4 This rule allows for legitimate fire training activities to occur all year a) the scale, location and potential adverse effects of the round as a permitted activity, provided the conditions of the rule are activity. met. This includes being a recognised fire authority or a recognised the likely duration and frequency of the activity. training provider. A 'nationally recognised training provider' is methods or techniques to contain or remedy the considered to be an organisation that undertakes training for the discharge. purposes of meeting the legislative requirements of maritime safety, d) supervision or management of the operation. health and safety, or as a part of a NZQA course. the proximity and nature of nearby activities. Clause c) of the rule restricts the type of materials that can be burnt during training exercises. The fire service may burn prohibited the proximity and nature of any sensitive receptors. f) materials, as it is sometimes necessary for fire training to be potential or actual effects on the surrounding undertaken in a range of realistic situations which may involve environment. burning materials which are normally prohibited (such as the the potential or actual effects of odour and particulate burning of a house). However it is not considered that this matter on the receiving environment. permitted exemption can be extended to other training providers the likely meteorological clauses, and likely ambient due to the potential health effects of burning prohibited materials and the fact that there are other fuels that may be burnt during air quality at the time of the proposed discharge. normal training exercises (such as diesel and wood). the effects on local and ambient air quality. In all instances Council must be notified at least 2 working days prior to training activities commencing. Note: Compliance with Rule AQr.22 General Conditions is also required which relates to smoke, dust, odour and other effects. In terms of compliance and enforcement of this rule, Council staff will be guided as appropriate by Appendices AQ9, 10 and 11.

Item	Permitted	Controlled	Discretionary/Non-
item	i cimited	Corta offed	complying/ Prohibited
AQr.59	AQr.59.1	AQr.59.2	AQr.59.3
Fertiliser	The discharge of any fertiliser to air is permitted if it is applied so that there is no fertiliser drift over any adjacent property that is: a) registered or certified by the Biological Producers' and Consumer's Council or the Biodynamic Farming and Garden Association as an organically farmed property, provided that this registration or certification was established before any discharge activity is commenced, or b) within 30 metres of a residential unit, or c) an orchard or vineyard where there is fruit on the tree or vines. The above provisions do not apply where there is a written agreement to this effect between the person who discharges or causes the discharge of any fertiliser, and any occupier of the adjoining property, (Note: Compliance with Rule AQr.22 (General Conditions) is also required. See also the freshwater rules in the Nelson Resource Management Plan.)	The discharge of any fertiliser to air that contravenes a permitted clause is a controlled activity. Control reserved over: i) provision of fertiliser application programmes for or notification of potentially affected people, and ii) method and timing of application, and iii) type of fertiliser applied, and iv) record keeping, and v) methods to avoid or mitigate movement of fertiliser onto adjoining properties, and vi) establishment of buffer zones, and vii) dust and odour.	Not applicable.

As	sessment Criteria	Explanation	
AQr.59.4 a) the reasons for and any likely effects of the departure from the permitted activity standards, terms and class b) whether the discharge is to be undertaken in accordance with current good practice (such as the Code of Practice for Fertiliser Use). c) potential or actual adverse effects on the surrounding environment. d) the proximity and nature of nearby activities. e) the proximity and nature of any sensitive receptors.		AQr.59.5 The rule seeks to limit adverse cross-property effects that may	
		lake.	