





9. Does your trade premise contain any of the following: (tick as many as applicable)

- |  |   |
|--|---|
| <input type="checkbox"/> Commercial kitchen (i.e. a kitchen used for anything other than staff convenience)  | <input type="checkbox"/> More than 2 toilets or wash facilities   |
| <input type="checkbox"/> A wash down area or facilities (either indoor or outdoor) that connects (or might be connected) to a sewer                                  | <input type="checkbox"/> Any production process, service or other trade where there is a connection(s) to sewer other than what is identified in Q8 above |
| <input type="checkbox"/> Accommodation (short term or long term)   | <input type="checkbox"/> Any food production, storage or serving facility   |
| <input type="checkbox"/> Floor drains  | <input type="checkbox"/> Irrigation system  |
| <input type="checkbox"/> Cooling systems that use water for cooling  | <input type="checkbox"/> Store or utilise any hazardous substances as identified in Section 2.2 of the Bylaw  |
| <input type="checkbox"/> Processes that are likely to result in a discharge to sewer that does not meet the physical characteristic limits as set out in Schedule 1A | <input type="checkbox"/> The ability to store wastewater on site (e.g. holding tanks or buffer tanks)   |
| <input type="checkbox"/> A residential dwelling on the same site, utilising the same water supply and or sewer connection  | <input type="checkbox"/> Grease trap or grease converter  |
| <input type="checkbox"/> Silt and oil trap   |   |

10. Category B Trade Premise - detailed information

*If you do not know all the information requested in Q10, please fill out as much as possible and contact Council's Tradewaste Officer to discuss.*

*Depending on the nature of your trade operation you may be required to provide evidence to support your answers to Q10.*

a. Does your annual water usage exceed 250m<sup>3</sup>?

- Yes (go to C below)  No

b. Does your average daily water usage exceed 1m<sup>3</sup> per normal working day?

- Yes (go to C below)  No (go to d below)

c. What is your estimated daily Trade Waste volume per normal working day?

Average \_\_\_\_\_ m<sup>3</sup> Maximum \_\_\_\_\_ m<sup>3</sup>

d. What is your estimated Trade Waste flow rate?

Average \_\_\_\_\_ l/s Maximum \_\_\_\_\_ l/s

e. Is the temperature of your Trade Waste likely to exceed 40°C?

- Yes  No (go to f below)

If yes, what temperatures do you expect?

Average \_\_\_\_\_ °C Maximum \_\_\_\_\_ °C

f. Is your Trade Waste likely to contain any of the following:

- |   |   |
|---|---|
| <input type="checkbox"/> High BOD <sub>5</sub> (>600mg/l)   | <input type="checkbox"/> High COD (>1000mg/l)   |
| <input type="checkbox"/> High suspended solids (>300mg/l)   | <input type="checkbox"/> pH <6 or >9  |
| <input type="checkbox"/> Fats, Oils or Grease regardless of quantity or source  | <input type="checkbox"/> Solvents or other organic liquids  |
| <input type="checkbox"/> Emulsions of paint, latex, adhesive, rubber, plastic or similar material                                       | <input type="checkbox"/> Radioactive material   |
| <input type="checkbox"/> Colour which may affect treatment processes or discolour mixed wastewater at the treatment plant and/or outlet | <input type="checkbox"/> Substances identified in Schedule A Table A.1 - General Chemical Characteristics, of the Bylaw |
| <input type="checkbox"/> Heavy metal as identified in Schedule A Table A.2 - Heavy Metals, of the Bylaw                                 | <input type="checkbox"/> Substances identified in Schedule A Table A.3 - Organic Compounds and Pesticides, of the Bylaw |

11. Trade Premise Declaration

I \_\_\_\_\_  
(Name of authorised representative)

**hereby declare that:**

To the best of my knowledge the information in this application is correct \_\_\_\_\_  
Initial

I will maintain compliance with all aspects of the Trade Waste Bylaw \_\_\_\_\_  
Initial

Should the trade operation change I will contact Nelson City Council and if necessary apply for an amended or new Trade Waste permit \_\_\_\_\_  
Initial

I will pay Trade Waste charges required by the Bylaw \_\_\_\_\_  
Initial

**I understand that:**

This Trade Waste application and declaration will be held on Council records. I can request to view and/or amend any information at any time (This may involve completing a new form) \_\_\_\_\_  
Initial

An authorised officer of the Council is entitled to enter onto private land for the purposes of inspections and/or sampling. I am entitled to view the warrant confirming such officer's authority \_\_\_\_\_  
Initial

Failure to comply with this permit or the Bylaw may result in prosecution under the Local Government Act 2002. \_\_\_\_\_  
Initial

\_\_\_\_\_  
Signed for and on behalf of the trade operator

\_\_\_\_\_  
Dated

**Nelson City Council Staff Use Only**

- Permitted                       Conditional                       Prohibited

Category:

- A                       B                       C

Monitoring required:

- Grease trap servicing  
 Enzyme based grease converter  
 Silt/oil trap servicing  
 Sampling

Type: \_\_\_\_\_

Frequency: \_\_\_\_\_

- Other

Details: \_\_\_\_\_  
\_\_\_\_\_